

Rev. 05/15/21

DOMESTIC BUILDINGS

PRICE LIST



CONTENTS

HIGH EFFICIENCY CIRCULATORS

ALPHA	1
MAGNA3	2
MAGNA1	3

HOT WATER RECIRCULATION

UP 10-16 (Comfort PM)	4
Comfort System	4
ALPHA Hot Water Recirculation	4
ALPHA 15-55 HWR-D Accessories	4

UPS 3-SPEED CIRCULATORS

Cast Iron Body	5
Bronze & stainless Steel Body	6

UP SINGLE SPEED CIRCULATORS

Cast Iron Body	7
Bronze & stainless Steel Body	8

CIRCULATORS CONTROLS & ACCESSORIES

UPZC Zone Controls	10
UPZV Zone Valves	11
Flange Fitting Sets	12
Dielectric Isolation Valves	13
Timers & Controls	14
Grundfos GO	15

LARGE UPS

Cast Iron Body	16
Bronze Body	17

PRESSURE BOOSTING

SCALA2 & SBA	18
CMBE	19
CMBE TWIN	20
Hydro Multi-B	21
Hydro Multi-E	22
Jet Pumps	26

DOMESTIC WASTE WATER

UNILIFT	27
---------------	----

CONTROLS & ALARMS

LC231, Ball float or Sub Transducer Controlled	29
LC241, Ball float or Sub Transducer Controlled/Accessories	30
Grundfos PIP Simplex	31
Grundfos PIP - Sump, Sewage, Effluent	33

SINGLE STAGE PUMPS

TPE Series 1000	34
TPE Series 2000	36
TP	38
TP Pump End Only	40
TPE3	41
TPE3D	45

SENSORS & ACCESSORIES

Pressure MBS3000 & Temperature MBT 3270	46
LiqTec & Pressure Switch PS41	47
Flow VFI	48
Flow VFI + T	49
Pressure RPI + T (MAGNA 3) & Differential Pressure DPS (MAGNA 3)	50
Differential Pressure DPS (TPE3)	51
Differential Pressure DPI v1	52
Differential Pressure DPI v2	53
Differential Pressure DPI v2 + T	54
Pressure RPI & RPI + T	55
Pressure RPS + T Differential Pressure DPS + T	56
Flow VFS & VFS QT	57
Sensor Accessories	58

HIGH EFFICIENCY CIRCULATORS ALPHA

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

MODEL	PART NUMBER	DESCRIPTION	Mat. Price Group	LIST PRICE USD
-------	----------------	-------------	---------------------	-------------------

ALPHA2 15-55

Cast Iron Body, 115V - GF 15/26 Flange Mount

ALPHA2 15-55F	99163903	Cast Iron, 115V 1/16 Hp, 3-Fixed Speeds, 3-Constant Pressure Speeds, AUTOADAPT	50	\$423
ALPHA2 15-55F/LC	99163906	Cast Iron, 115V, Line Cord 1/16 Hp, 3-Fixed Speeds, 3-Constant Pressure Speeds, AUTOADAPT	50	\$423
ALPHA2 15-55FR	99163932	Cast Iron, 115V, Rotated Flange Mount 1/16 Hp, 3-Fixed Speeds, 3-Constant Pressure Speeds, AUTOADAPT	50	\$423
ALPHA2 15-55FR/LC	99163934	Cast Iron, 115V, Line Cord, Rotated Flange Mount 1/16 Hp, 3-Fixed Speeds, 3-Constant Pressure Speeds, AUTOADAPT	50	\$423

Stainless Steel Body, 115V - GF 15/26 Flange Mount - ANSI / NSF 61 / NSF 372



ALPHA2 15-55SF	99163937	Stainless Steel, 115V 1/16 Hp, 3-Fixed Speeds, 3-Constant Pressure Speeds, AUTOADAPT	50	\$670
ALPHA2 15-55SF/LC	99163972	Stainless Steel, 115V, Line Cord 1/16 Hp, 3-Fixed Speeds, 3-Constant Pressure Speeds, AUTOADAPT	50	\$670

ALPHA1 15-55

Cast Iron Body, 115V - GF 15/26 Flange Mount

ALPHA1 15-55F	99287256	Cast Iron, 115V 1/16 Hp, 3-Constant Pressure Settings	50	\$326
ALPHA1 15-55F/LC	99285998	Cast Iron, 115V, Line Cord 1/16 Hp, 3-Constant Pressure Settings	50	\$326
ALPHA1 15-55FR	99287259	Cast Iron, 115V, Rotated Flange Mount 1/16 Hp, 3-Constant Pressure Settings	50	\$326
ALPHA1 15-55FR/LC	99287244	Cast Iron, 115V, Line Cord, Rotated Flange Mount 1/16 Hp, 3-Constant Pressure Settings	50	\$326

Stainless Steel Body, 115V - GF 15/26 Flange Mount - ANSI / NSF 61 / NSF 372



ALPHA1 15-55SF	99287262	Stainless Steel, 115V 1/16 Hp, 3-Constant Pressure Settings	50	\$590
ALPHA1 15-55SF/LC	99287250	Stainless Steel, 115V, Line Cord 1/16 Hp, 3-Constant Pressure Settings	50	\$590

ALPHA2 26-99

Cast Iron Body, 115V - GF 15/26 Flange Mount

ALPHA2 26-99F	99490916	Cast iron, 115V 1/6 Hp, 3-Constant Pressure Settings, 3 Proportional Pressure Settings, 2-AUTOADAPT Settings	50	\$935
---------------	--------------------------	---	----	-------

ALPHA1 26-99

Cast Iron Body, 115V - GF 15/26 Flange Mount

ALPHA1 26-99F	99490914	Cast iron, 115V 1/6 Hp, Controlled via 0-10 VDC Signal	50	\$840
---------------	--------------------------	---	----	-------



Indicates no more than 0.25% lead content of the wetted surface area for products used in drinking water applications.



HIGH EFFICIENCY CIRCULATORS MAGNA3

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

MODEL	PART NUMBER	DESCRIPTION	Mat. Price Group	LIST PRICE USD
MAGNA3				
Cast Iron Body, Intergrated Variable Speed Drive				
MAGNA3 32-60 GF	98126820	Cast Iron, 115-230V, 1/8 HP, GF15/26 Flanges	56	\$1,758
MAGNA3 32-120 GF	99833304	Cast Iron, 115-230V, 1/6 HP, GF15/26 Flanges	56	\$2,081
MAGNA3 40-80	98126800	Cast Iron, 115V, 1/3 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$3,252
	98126828	Cast Iron, 208-230V, 1/3 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$3,252
MAGNA3 40-120	98126804	Cast Iron, 115V, 1/2 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$3,739
	98126832	Cast Iron, 208-230V, 1/2 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$3,739
MAGNA3 40-180	98126808	Cast Iron, 115V, 3/4 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$5,288
	98126836	Cast Iron, 208-230V, 3/4 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$5,288
MAGNA3 50-80	98126812	Cast Iron, 115V, 1/3 HP, GF53 Flanges (excluding 3" flange)	56	\$4,320
	98126840	Cast Iron, 208-230V, 1/3 HP, GF53 Flanges (excluding 3" flange)	56	\$4,320
MAGNA3 50-120	99833473	Cast Iron, 115V, 3/4 HP, GF53 Flanges (excluding 3" flange)	56	\$4,828
	99833476	Cast Iron, 208-230V, 3/4 HP, GF53 Flanges (excluding 3" flange)	56	\$4,828
MAGNA3 50-150	98126816	Cast Iron, 115V, 3/4 HP, GF53 Flanges (excluding 3" flange)	56	\$5,435
	98126844	Cast Iron, 208-230V, 3/4 HP, GF53 Flanges (excluding 3" flange)	56	\$5,435
MAGNA3 50-180	99833480	Cast Iron, 115V, 1 HP, GF53 Flanges (excluding 3" flange)	56	\$6,041
	99833483	Cast Iron, 208-230V, 1 HP, GF53 Flanges (excluding 3" flange)	56	\$6,041
MAGNA3 65-120	98124696	Cast Iron, 115V, 1 HP, GF65 Flanges	56	\$5,873
	98126848	Cast Iron, 208-230V, 1 HP, GF65 Flanges	56	\$5,873
MAGNA3 65-150	98126852	Cast Iron, 208-230V, 1.5 HP, GF65 Flanges	56	\$6,792
MAGNA3 80-100	98126856	Cast Iron, 208-230V, 1.5 HP, GF80 Flanges	56	\$6,888
MAGNA3 100-120	98126860	Cast Iron, 208-230V, 2 HP, GF100 Flanges	56	\$7,711
MAGNA3 65-150 D	98126863	Cast Iron, 208-230V, Dual Head 1.5 HP ea, GF65 Flanges	56	\$12,531
MAGNA3 80-100 D	98126864	Cast Iron, 208-230V, Dual Head 1.5 HP ea., GF80 Flanges	56	\$12,707
MAGNA3 100-120 D	98126865	Cast Iron, 208-230V, Dual Head 2 HP ea., GF100 Flanges	56	\$14,244

Stainless Steel Body, Intergrated Variable Speed Drive



MAGNA3 32-60 GF N	98126822	Stainless Steel, 115-230V, 1/8 HP, GF15/26 Flanges	56	\$2,615
MAGNA3 32-120 GF N	99833308	Stainless Steel, 115-230V, 1/6 HP, GF15/26 Flanges	56	\$2,972
MAGNA3 40-80	98126802	Stainless Steel, 115V, 1/3 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$5,014
	98126830	Stainless Steel, 208-230V, 1/3 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$5,014
MAGNA3 40-120	98126806	Stainless Steel, 115V, 1/2 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$5,784
	98126834	Stainless Steel, 208-230V, 1/2 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$5,784
MAGNA3 40-180	98126810	Stainless Steel, 115V, 3/4 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$8,193
	98126838	Stainless Steel, 208-230V, 3/4 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$8,193
MAGNA3 50-80	98126814	Stainless Steel, 115V, 1/3 HP, GF53 Flanges (excluding 3" flange)	56	\$6,692
	98126842	Stainless Steel, 208-230V, 1/3 HP, GF53 Flanges (excluding 3" flg)	56	\$6,692
MAGNA3 50-120	99833475	Stainless Steel, 115V, 3/4 HP, GF53 Flanges (excluding 3" flange)	56	\$7,483
	99833477	Stainless Steel, 208-230V, 3/4 HP, GF53 Flanges (excluding 3" flg)	56	\$7,483
MAGNA3 50-150	98126818	Stainless Steel, 115V, 3/4 HP, GF53 Flanges (excluding 3" flange)	56	\$8,425
	98126846	Stainless Steel, 208-230V, 3/4 HP, GF53 Flanges (excluding 3" flg)	56	\$8,419
MAGNA3 50-180	99833481	Stainless Steel, 115V, 1 HP, GF53 Flanges (excluding 3" flange)	56	\$9,363
	99833485	Stainless Steel, 208-230V, 1 HP, GF53 Flanges (excluding 3" flg)	56	\$9,363
MAGNA3 65-120	98124702	Stainless Steel, 115V, 1 HP, GF65 Flanges	56	\$9,096
	98126850	Stainless Steel, 208-230V, 1 HP, GF65 Flanges	56	\$9,096
MAGNA3 65-150	98126854	Stainless Steel, 208-230V, 1.5 HP, GF65 Flanges	56	\$10,520
MAGNA3 80-100	98126858	Stainless Steel, 208-230V, 1.5 HP, GF80 Flanges	56	\$10,674
MAGNA3 100-120	98126862	Stainless Steel, 208-230V, 2 HP, GF100 Flanges	56	\$11,951



Indicates no more than 0.25% lead content of the wetted surface area for products used in drinking water applications.

HIGH EFFICIENCY CIRCULATORS

MAGNA1

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

MODEL	PART NUMBER	DESCRIPTION	Mat. Price Group	LIST PRICE USD
MAGNA1				
Cast Iron Body, Intergrated Variable Speed Drive				
MAGNA1 32-60	98126819	Cast Iron, 115-230V, 1/8 HP, GF15/26 Flanges	56	\$1,402
MAGNA1 32-100	98126823	Cast Iron, 115-230V, 1/6 HP, GF15/26 Flanges	56	\$1,660
MAGNA1 40-80	98126799	Cast Iron, 115V, 1/3 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$2,602
	98126827	Cast Iron, 208-230V, 1/3 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$2,602
MAGNA1 40-120	98126803	Cast Iron, 115V, 1/2 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$2,989
	98126831	Cast Iron, 208-230V, 1/2 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$2,989
MAGNA1 40-180	98126807	Cast Iron, 115V, 3/4 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$4,228
	98126835	Cast Iron, 208-230V, 3/4 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$4,228
MAGNA1 50-80	98126811	Cast Iron, 115V, 1/3 HP, GF53 Flanges (excluding 3" flange)	56	\$3,455
	98126839	Cast Iron, 208-230V, 1/3 HP, GF53 Flanges (excluding 3" flange)	56	\$3,455
MAGNA1 50-150	98126815	Cast Iron, 115V, 3/4 HP, GF53 Flanges (excluding 3" flange)	56	\$4,344
	98126843	Cast Iron, 208-230V, 3/4 HP, GF53 Flanges (excluding 3" flange)	56	\$4,344
MAGNA1 65-120	98124695	Cast Iron, 115V, 1 HP, GF65 Flanges	56	\$4,699
	98126847	Cast Iron, 208-230V, 1 HP, GF65 Flanges	56	\$4,699
MAGNA1 65-150	98126851	Cast Iron, 208-230V, 1.5 HP, GF65 Flanges	56	\$5,435
MAGNA1 80-100	98126855	Cast Iron, 208-230V, 1.5 HP, GF80 Flanges	56	\$5,506
MAGNA1 100-120	98126859	Cast Iron, 208-230V, 2 HP, GF100 Flanges	56	\$6,162

Stainless Steel Body, Intergrated Variable Speed Drive



MAGNA1 32-60	98126821	Stainless Steel, 115-230V, 1/8 HP, GF15/26 Flanges	56	\$2,085
MAGNA1 32-100	98126825	Stainless Steel, 115-230V, 1/6 HP, GF15/26 Flanges	56	\$2,372
MAGNA1 40-80	98126801	Stainless Steel, 115V, 1/3 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$4,011
	98126829	Stainless Steel, 208-230V, 1/3 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$4,011
MAGNA1 40-120	98126805	Stainless Steel, 115V, 1/2 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$4,632
	98126833	Stainless Steel, 208-230V, 1/2 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$4,632
MAGNA1 40-180	98126809	Stainless Steel, 115V, 3/4 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$6,554
	98126837	Stainless Steel, 208-230V, 3/4 HP, GF15/26, GF15/40, GF40/43 Flanges	56	\$6,554
MAGNA1 50-80	98126813	Stainless Steel, 115V, 1/3 HP, GF53 Flanges (excluding 3" flange)	56	\$5,354
	98126841	Stainless Steel, 208-230V, 1/3 HP, GF53 Flanges (excluding 3" flange)	56	\$5,354
MAGNA1 50-150	98126817	Stainless Steel, 115V, 3/4 HP, GF53 Flanges (excluding 3" flange)	56	\$6,733
	98126845	Stainless Steel, 208-230V, 3/4 HP, GF53 Flanges (excluding 3" flange)	56	\$6,727
MAGNA1 65-120	98124701	Stainless Steel, 115V, 1 HP, GF65 Flanges	56	\$7,283
	98126849	Stainless Steel, 208-230V, 1 HP, GF65 Flanges	56	\$7,283
MAGNA1 65-150	98126853	Stainless Steel, 208-230V, 1.5 HP, GF65 Flanges	56	\$8,409
MAGNA1 80-100	98126857	Stainless Steel, 208-230V, 1.5 HP, GF80 Flanges	56	\$8,546
MAGNA1 100-120	98126861	Stainless Steel, 208-230V, 2 HP, GF100 Flanges	56	\$9,546



Indicates no more than 0.25% lead content of the wetted surface area for products used in drinking water applications.



MODEL	PART NUMBER	DESCRIPTION	Mat. Price Group	LIST PRICE USD
-------	----------------	-------------	---------------------	-------------------

UP 10-16 Temp/Timer/Auto - with dedicated return line**1/2 SWEAT Mount**

UP10-16 Auto B5 LC	98420222	Bronze 115V, AUTO, 1/2" sweat, 6 ft. Line Cord	57	\$672
--------------------	--------------------------	--	----	-------

1/2 FNPT Mount

UP10-16 Auto BN5 LC	98420223	Bronze 115V, AUTO 1/2" FNPT, 6 ft. Line Cord	57	\$672
---------------------	--------------------------	--	----	-------

GU 125 Union Mount

UP10-16 Temp BU LC	99412493	Bronze 115V, TEMP. 1-1/4" NPSM Union thread, Integral Check Valve, Isolation valve, 6 ft. Line Cord	57	\$462
UP10-16 DT BU LC	99812354	Bronze 115V, Timer. 1-1/4" NPSM Union thread, Integral Check Valve, Isolation valve, 6 ft. Line Cord	57	\$578
UP10-16 Auto BU LC	98420224	Bronze 115V, AUTO. 1-1/4" NPSM Union thread, Integral Check Valve, Isolation valve, 6 ft. Line Cord	57	\$683

Bronze Packaged Union Fitting Sets

GU 125 Union	529913	Bronze, 1/2" Sweat x Union Fitting Set	55	\$65
	529912	Bronze, 3/4" NPT x Union Fitting Set	55	\$65
	529911	Bronze, 3/4" Sweat x Union Fitting Set	55	\$67
GU 125 Union Isolation Valve	519850	Bronze, 1/2" NPT x Union Iso Vlv Fitting Set	55	\$68
	519852	Bronze, 3/4" NPT x Union Iso Vlv Fitting Set	55	\$68
	519851	Bronze, 3/4" Compression x Union Fitting Set	55	\$68

Comfort System - Retrofit - without dedicated return line

UP15-10SU7P DTLC	99452459	Stainless Steel, 115V, Digital Timer, Line Cord, Check Valve Hot Water Tank Fittings, (1) Valve, (2) 1/2" FNPS X 1/2" FNPS X 12" Flex Hoses	58	\$590
UP15-10SU7P TLC	595916	Stainless Steel, 115V, Timer, Line Cord, Check Valve Hot Water Tank Fittings, (1) Valve, (2) 1/2" FNPS X 1/2" FNPS X 12" Flex Hoses	58	\$567
Comfort Valve	595926	List price for each valve. Must be purchased in bulk (Qty.15)	55	\$122
Flex Hose Kit	599390	1/2" FNPS X 1/2" FNPS X 12", Flex Hoses, 2 each	55	\$20
Valve & Hose Kit	99792318	Kit, Comfort Valve with Hoses 4 pack	50	\$594

ALPHA Hot Water Recirculation – with dedicated return line**ALPHA 15-55 HWR-D****Stainless Steel Body, 115V – GU125 Mount**

ALPHA15-55 HWR-D (California)	99472723	ALPHA 15-55 HWR-D pump, two push buttons and temperature sensor	50	\$1,040
ALPHA15-55 HWR-D	99472724	ALPHA 15-55 HWR-D pump and two push buttons	50	\$998

ALPHA 15-55 HWR-T**Stainless Steel Body, 115V – GU125 Mount**

ALPHA 15-55 HWR-T	99906545	ALPHA 15-55 HWR-T pump, wireless aquastat, programmable digital timer, and 3/4" bronze union isolation valve fittings	50	\$1,103
-------------------	----------	---	----	---------

ALPHA Hot Water Recirculation – Retrofit – without dedicated return line**ALPHA 15-55 HWR-D COMFORT****Stainless Steel Body, 115V – GU125 Mount**

ALPHA15-55 HWR-D Comfort	99793173	ALPHA 15-55 HWR-D pump, two push buttons, four COMFORT valves and four flex hose kits	55	\$1,295
--------------------------	--------------------------	---	----	---------

ALPHA 15-55 HWR-D Accessories

Push Button	99586126	Push button HWR-D	55	\$131
Temperature Sensor	99586127	Temp. sensor HWR-D	55	\$179
Repeater	99410217	Repeater HWR-D	55	\$189



Indicates no more than 0.25% lead content of the wetted surface area for products used in drinking water applications.



UPS 3-SPEED CIRCULATORS CAST IRON

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

PART		Mat. Price	LIST PRICE	
MODEL	NUMBER	DESCRIPTION	Group	USD
Cast Iron Body, 3-Speed Circulators				
UPS15-42F	59896180	Cast Iron, 230V, 3-Speed 1/25 Hp, 2-Bolt Flanged Housing, GF15/26	51	\$265
UPS15-58FC	59896341	Cast Iron, 115V, 3-Speed 1/25 Hp, Integral Check Valve, 2-Bolt Flanged Housing, GF15/26	51	\$233
UPS15-58FRC	59896343	Cast Iron, 115V, 3-Speed, Rotated Flange Mount 1/25 Hp, Integral Check Valve, 2-Bolt Rotated Flanged Housing, GF15/26	51	\$233
UPS26-99FC	52722512	Cast Iron, 115V, 3-Speed, 1/6 Hp, Chk Valve, 2-Bolt Flg, GF15/26	51	\$638
	52722513	Cast Iron, 230V, 3-Speed, 1/6 Hp, Chk Valve, 2-Bolt Flg, GF15/26	51	\$704
UPS26-150F	95906630	Cast Iron, 115V, 3-Speed, 1/2 Hp, 2-Bolt Flanged Housing, GF15/26	51	\$1,092
	95906631	Cast Iron, 208-230V, 3-Speed, 1/2 Hp, 2-Bolt Flg Housing, GF15/26	51	\$1,146
UPS43-44FC	52722514	Cast Iron, 115V, 3-Speed, 1/2 Hp, 2-Bolt Flanged Housing, GF40/43	51	\$853
	52722515	Cast Iron, 230V, 3-Speed, 1/2 Hp, 2-Bolt Flanged Housing, GF43/43	51	\$865
UPS43-100F	95906636	Cast Iron, 115V, 3-Speed, 1/2 Hp, 2-Bolt Flanged Housing, GF40/43	51	\$706
	95906637	Cast Iron, 208-230V, 3-Speed, 1/2 Hp, 2-Bolt Flg Housing, GF40/43	51	\$718
UPS50-44F	52722557	Cast Iron, 115V, 3-Speed, 1/6 Hp, 4-Bolt 2-in Flanged Housing, GF50	51	\$805
	52722558	Cast Iron, 230V, 3-Speed, 1/6 Hp, 4-Bolt 2-inch Flg Housing, GF50	51	\$805
UPS50-60F	97523134	Cast Iron, 115V, 3-Speed, 1/2 Hp, 4-Bolt Flanged Housing, GF50	51	\$1,393
	97523135	Cast Iron, 208-230V, 3-Speed, 1/2 Hp, 4-Bolt Flanged Housing, GF50	51	\$1,393

UPS 3-SPEED CIRCULATORS BRONZE & STAINLESS STEEL

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

MODEL	PART NUMBER	DESCRIPTION	Mat. Price Group	LIST PRICE USD
Bronze and Stainless Steel Body, 3-Speed Circulators				
UPS15-35SFC	59896772	Stainless Steel, 115V, 3-Speed 1/15 Hp, 2-Bolt Flg Housing, GF15/26, Integral Check Valve	51	\$777
UPS15-35SUC	59896778	Stainless Steel, 115V, 3-Speed 1/15 Hp, GU 125 Union Housing, Integral Check Valve	51	\$777
UPS15-35SUC/DTLC	99452478	Stainless Steel, 115V, 3-Speed, Digital Timer, line Cord 1/15 Hp, GU 125 Union Housing, Integral Check Valve	58	\$981
UPS15-55SFC	59896773	Stainless Steel, 115V, 3-Speed, 1/12 Hp, 2-Bolt Flg Housing GF15/26, Integral Check Valve	51	\$815
UPS15-55SUC	59896781	Stainless Steel, 115V, 3-Speed 1/12 Hp, GU 125 Union Housing, Integral Check Valve	51	\$889
UPS15-55SUC/DTLC	99452479	Stainless Steel, 115V, 3-Speed, Digital Timer, line Cord 1/12 Hp, GU 125 Union Housing, Integral Check Valve	58	\$1,095
UPS26-99SFC	98961763	Stainless Steel, 115V, 3-Speed 1/6 Hp, Integral Check Valve, 2-Bolt Flanged Housing, GF15/26	51	\$1,160
	98961765	Stainless Steel, 230V, 3-Speed 1/6 Hp, Integral Check Valve, 2-Bolt Flanged Housing, GF15/26	51	\$1,230
UPS26-150SF	95906632	Stainless Steel, 115V, 3-Speed 1/2 Hp, 2-Bolt Flanged Housing, GF15/26	58	\$1,382
	95906633	Stainless Steel, 208-230V, 3-Speed 1/2 Hp, 2-Bolt Flanged Housing, GF15/26	58	\$1,469
UPS43-44BFC	52722520	Bronze, 115V, 3-Speed 1/6 Hp, 2-Bolt Flanged Housing, Integral Check valve, GF40/43	51	\$1,247
	52722521	Bronze, 230V, 3-Speed 1/6 Hp, 2-Bolt Flanged Housing, Integral Check valve, GF40/43	50	\$1,322
UPS43-100SF	95906638	Stainless Steel, 115V, 3-Speed 1/2 Hp, 2-Bolt Flanged Housing, GF40/43	58	\$1,091
	95906639	Stainless Steel, 208-230V, 3-Speed 1/2 Hp, 2-Bolt Flanged Housing, GF40/43	58	\$1,154
UPS50-60SF	97523137	Stainless Steel, 208-230V, 3-Speed 1/2 Hp, 4-Bolt Flanged Housing, GF50	50	\$2,508
	97523136	Stainless Steel, 115V, 3-Speed 1/2 Hp, 4-Bolt Flanged Housing, GF50	50	\$2,508



Indicates no more than 0.25% lead content of the wetted surface area for products used in drinking water applications.



UP SINGLE-SPEED CIRCULATORS CAST IRON

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

PART			Mat. Price	LIST PRICE
MODEL	NUMBER	DESCRIPTION	Group	USD
Cast Iron Body, Single-Speed Circulators				
UP43-70F	96439644	Cast Iron, 115/230V, 1/2 Hp, 1-Speed, 1-1/2", GF40/43	52	\$2,065
UP43-110F	96439643	Cast Iron, 115/230V, 3/4 Hp, 1-Speed, 1-1/2", GF40/43	52	\$2,644
UP53-45F	96633576	Cast Iron, 115/230V, 1/2 Hp, 1-Speed, 2", GF53	52	\$2,082
UP53-46F	96633591	Cast Iron, 115/230V, 3/4 Hp, 1-Speed, 2", GF53	52	\$2,201

UP SINGLE-SPEED CIRCULATORS BRONZE & STAINLESS STEEL

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

MODEL	PART NUMBER	DESCRIPTION	Mat. Price Group	LIST PRICE USD
Bronze Body, Single-Speed Circulators				
UP15-10B5	59896213	Bronze, 115V 1/25 Hp, 1-Speed, 1/2" Sweat Housing	58	\$478
UP15-10B5/LC	59896214	Bronze, 115V, Line Cord 1/25 Hp, 1-Speed, 1/2" Sweat Housing	58	\$522
UP15-10B5/DTLC	99452454	Bronze, 115V, Digital Timer, Line Cord 1/25 Hp, 1-Speed, 1/2" Sweat Housing	58	\$567
UP15-10B7	59896226	Bronze, 115V 1/25 Hp, 1-Speed, 3/4" Sweat Housing	58	\$516
UP15-10B7/LC	59896209	Bronze, 115V, Line Cord 1/25 Hp, 1-Speed, 3/4" Sweat Housing	58	\$546
UP15-10B7/DTLC	99452455	Bronze, 115V, Digital Timer, Line Cord 1/25 Hp, 1-Speed, 3/4" Sweat Housing	58	\$616
UP15-10BUC5	59896225	Bronze, 115V 1/25 Hp, 1-Speed, 1/2" Sweat, Integral Check Valve	58	\$537
UP15-10BUC5/LC	59896237	Bronze, 115V, Line Cord 1/25 Hp, 1-Speed, 1/2" Sweat, Integral Check Valve	58	\$559
UP15-10BUC5/DTLC	99452457	Bronze, 115V, Digital Timer, Line Cord 1/25 Hp, 1-Speed, 1/2" Sweat, Integral Check Valve	58	\$629
UP15-10BUC7	59896241	Bronze, 115V 1/25 Hp, 1-Speed, 3/4" Sweat, Integral Check Valve	58	\$559
UP15-10BUC7/LC	59896239	Bronze, 115V, Line Cord 1/25 Hp, 1-Speed, 3/4" Sweat, Integral Check Valve	58	\$587
UP15-10BUC7/DTLC	99452458	Bronze, 115V, Digital Timer, Line Cord 1/25 Hp, 1-Speed, 3/4" Sweat, Integral Check Valve	58	\$656
UP15-18B5	59896114	Bronze, 115V, 1/25 Hp, 1-Speed, 1/2" Sweat Housing	58	\$478
	59896118	Bronze, 230V, 1/25 Hp, 1-Speed, 1/2" Sweat Housing	58	\$506
UP15-18B5/LC	59896211	Bronze, 115V, Line Cord 1/25 Hp, 1-Speed, 1/2" Sweat Housing	58	\$522
UP15-18B5/DTLC	99452460	Bronze, 115V, Digital Timer, Line Cord 1/25 Hp, 1-Speed, 1/2" Sweat Housing	58	\$591
UP15-18B7	59896121	Bronze, 115V, 1/25 Hp, 1-Speed, 3/4" Sweat Housing	58	\$518
	59896119	Bronze, 230V, 1/25 Hp, 1-Speed, 3/4" Sweat Housing	58	\$548
UP15-18B7/LC	59896229	Bronze, 115V, Line Cord 1/25 Hp, 1-Speed, 3/4" Sweat Housing	58	\$546
UP15-18B7/DTLC	99452461	Bronze, 115V, Digital Timer, Line Cord 1/25 Hp, 1-Speed, 3/4" Sweat Housing	58	\$616
UP15-18BUC5	59896123	Bronze, 115V 1/25 Hp, 1-Speed, 1/2" Sweat, Integral Check Valve	58	\$537
UP15-18BUC7	59896124	Bronze, 115V 1/25 Hp, 1-Speed, 3/4" Sweat, Integral Check Valve	58	\$559



Indicates no more than 0.25% lead content of the wetted surface area for products used in drinking water applications.



Please use Grundfos EXTRANET to check product lead times

UP SINGLE-SPEED CIRCULATORS BRONZE & STAINLESS STEEL

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

PART		DESCRIPTION	Mat. Price	LIST PRICE
MODEL	NUMBER		Group	USD
Bronze & Stainless Steel Body, Single-Speed Circulators				
UP15-29SU	59896775	Stainless Steel, 115V, 1/12 Hp, 1-Speed, GU125Union Housing	50	\$550
	59896784	Stainless Steel, 230V, 1/12 Hp, 1-Speed, GU125 Union Housing	50	\$584
UP15-29SU/LC	59896776	Stainless Steel, 115V, Line Cord	50	\$529
		1/12 Hp, 1-Speed, GU125Union Housing		
UP15-29SUC/DTLC	99452462	Stainless Steel, 115V, Digital Timer, Line Cord	58	\$599
		1/12 Hp,1-Speed, GU125 Union Housing, Integral Check Valve		
UP15-29SF	59896771	Stainless Steel, 115V	50	\$550
		1/12 Hp, 1-Speed, 2-Bolt Flanged Housing, GF15/26		
UP15-35SUC	59896785	Stainless Steel, 230V	50	\$823
		1/15 Hp, 1-Speed, GU125 Union Housing, Intregal Check Valve		
UP15-55SUC	59896786	Stainless Steel, 230V	50	\$933
		1/13 Hp, 1-Speed, GU125 Union Housing, Integral Check Valve		
UP43-44BF	52722439	Bronze, 115V, 1/6 Hp, 1-Speed, 2-Bolt Flanged Housing, GF40/43	50	\$1,184
	52722440	Bronze, 230V, 1/6 Hp, 1-Speed, 2-Bolt Flanged Housing, GF40/43	50	\$1,256
UP43-75BF	52722370	Bronze, 115V, 1/6 Hp, 1-Speed, 2-Bolt Flanged Housing, GF40/43	50	\$1,187
	52722369	Bronze, 230V, 1/6 Hp, 1-Speed, 2-Bolt Flanged Housing, GF40/43	50	\$1,258
UP53-45BF	96633578	Bronze, 115/230V	52	\$3,859
		1/2 Hp, 1-Speed, 2", GF53		
UP53-46BF	96633592	Bronze, 115/230V	52	\$4,098
		3/4 Hp, 1-Speed, 2", GF53		



Indicates no more than 0.25% lead content of the wetted surface area for products used in drinking water applications.



UPZC ZONE CONTROLS

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

MODEL	PART NUMBER	DESCRIPTION	Mat. Price	LIST PRICE
			Group	USD

UPZCP Multi-zone Pump Controls

UPZCP-1	98996400	Single Zone Pump Control	55	\$143
UPZCP-3	98996441	Three Zone Pump Control	55	\$337
UPZCP-4	98996433	Four Zone Pump Control	55	\$413
UPZCP-6	98996435	Six Zone Pump Control	55	\$533

UPZCV Multi-zone Valve Controls

UPZCV-3	98996436	Three Zone Valve Control	55	\$258
UPZCV-4	98996438	Four Zone Valve Control	55	\$303
UPZCV-6	98996439	Six Zone Valve Control	55	\$400

Service Parts

24VAC Transformer	98996485	Kit, UPZC Transformer 24VAC-40VA	55	\$92
5A Fuse	98996486	Kit, UPZC Pump Fuse 5A, 5-Pack	55	\$17
250mA Fuse	98996487	Kit,UPZC Transformer Fuse,Pump Brd 250mA, 5-pack	55	\$17
500mA Fuse	98996488	Kit,UPZC Transformer Fuse,Valv Brd 500mA, 5-pack	55	\$17

UPZV ZONE VALVES

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

PART NUMBER	DESCRIPTION	Mat. Price Group	LIST PRICE Each USD
UPZV 2-Way Zone Valves*			each
97627415	1/2" Sweat, 2-way valve body, Normally closed, with End Switch	55	\$208
97627416	1/2" Sweat, 2-way valve body, Normally closed, without End Switch	55	\$208
97627419	3/4" Sweat, 2-way valve body, Normally closed, with End Switch	55	\$215
97627420	3/4" Sweat, 2-way valve body, Normally closed, without End Switch	55	\$215
97627421	1" Sweat, 2-way valve body, Normally closed, with End Switch	55	\$265
97627422	1" Sweat, 2-way valve body, Normally closed, without End Switch	55	\$265
97627417	3/4" NPT, 2-way valve body, Normally closed, with End Switch	55	\$233
97627418	3/4" NPT, 2-way valve body, Normally closed, without End Switch	55	\$233

* Can only be ordered in Bulk Packs (Multiple of 10 sets) - Each Set Contains: 1 Valve Body, 1 Actuator

Service Parts**			each
97627423	Actuator 24VAC, Normally closed, with End Switch	55	\$231
97627424	Actuator 24VAC, Normally closed, without End Switch	55	\$215

** Can only be ordered in Bulk Packs (Multiple of 8 sets) - Each Set Contains: 1 Actuator

CIRCULATOR ACCESSORIES FLANGE

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

MODEL	PART NUMBER	DESCRIPTION	Mat. Price Group	LIST PRICE USD
-------	----------------	-------------	---------------------	-------------------

Cast Iron Packaged Flange Fitting Sets

GF 15/26 Flange	519601	Cast Iron, 3/4" NPT Flange Fitting Set	55	\$22
	519602	Cast Iron, 1" NPT Flange Fitting Set	55	\$22
	519603	Cast Iron, 1-1/4" NPT Flange Fitting Set	55	\$22
	519604	Cast Iron, 1-1/2" NPT Flange Fitting Set	55	\$22
GF 40/43 Flange	539605	Cast Iron, 1-1/2" NPT Flange Fitting Set	55	\$41
GF 50 Flange	96409354	Cast Iron, 2" NPT Flange Fitting Set	55	\$111
GF 53 Flange	91584910	Cast Iron, 2" NPT Flange Fitting Set	55	\$176
	91584911	Cast Iron, 2-1/2" NPT Flange Fitting Set	55	\$176
	91584912	Cast Iron, 3" NPT Flange Fitting Set	55	\$237
GF 65 Flange	559601	Cast Iron, 2-1/2" NPT Flange Fitting Set	55	\$159
GF 80 Flange	569601	Cast Iron, 3" NPT Flange Fitting Set	55	\$247
GF 100 Flange	579801	Cast Iron, 4" NPT Flange Fitting Set	55	\$417

Bronze Packaged Flange and Union Fitting Sets



GF 15/26 Flange	519651	Bronze, 3/4" NPT Flange Fitting Set	55	\$66
	519652	Bronze, 1" NPT Flange Fitting Set	55	\$97
	96409356	Bronze, 1-1/4" NPT Flange Fitting Set	55	\$100
GF 40/43 Flange	539615	Bronze, 1-1/2" NPT Flange Fitting Set	55	\$105
GF 50 Flange	96409355	Bronze, 2" NPT Flange Fitting Set	55	\$616
GF 53 Flange	91584913	Bronze, 2" NPT Flange Fitting Set	55	\$626
	91584914	Bronze, 2-1/2" NPT Flange Fitting Set	55	\$744
	91584915	Bronze, 3" NPT Flange Fitting Set	55	\$862
GF 65 Flange	91121951	Stainless Steel, 2-1/2" NPT Flange Fitting Set	38	\$791
GF 80 Flange	569611	Bronze, 3" NPT Flange Fitting Set	55	\$777
GU 125 Union	529913	Bronze, 1/2" Sweat x Union Fitting Set	55	\$65
	529912	Bronze, 3/4" NPT x Union Iso Vlv Fitting Set	55	\$65
	529911	Bronze, 3/4" Sweat x Union Fitting Set	55	\$67
GU 125 Union Isolation Valve	519850	Bronze, 1/2" NPT x Union Iso Vlv Fitting Set	55	\$68
	519852	Bronze, 3/4" NPT x Union Iso Vlv Fitting Set	55	\$68
	519851	Bronze, 3/4" Compression x Union Fitting Set	55	\$68

Replacement Flange Gaskets

GF 15/26	519660	Nut/Bolt/GSKT SET ' SST FLANGE"	55	\$22
GF 15/26	510231	Oval Gasket for 3/4" thru 1-1/4" Flange	55	\$23
GF 15/26	510179	2-Bolt, Single Gasket for 1-1/4" Flange	55	\$14
GF 15/40	98476425	2-Bolt, Single o-ring for 1-1/2" Flange	55	\$16
GF 40/43	530244	2-Bolt, Single Gasket for 1-1/2" Flange	55	\$14
GF 50	96409353	4-Bolt, Single Gasket for 2" Flange	55	\$13
GF 53	99520171	4-Bolt, Single Gasket for 2-1/2" Flange	55	\$14
GF 65	550097	4-Bolt, Single Gasket for 2-1/2" Flange	55	\$12
GF 80	560185	4-Bolt, Single Gasket for 3" Flange	55	\$15
GF 100	570008	4-Bolt, Single Gasket for 4" Flange	91	\$21
GU 125	520089	Union, Single Gasket for GU 125 Union	55	\$16

Replacement Check Valve

UP(S) 15-FC	596630	Check Valve Assy. 1/2" UP15OV25	55	\$18
-------------	--------	---------------------------------	----	------

DIELECTRIC ISOLATION VALVES

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

PART NUMBER	DESCRIPTION	Mat. Price Group	LIST PRICE Each USD
----------------	-------------	---------------------	------------------------



Packaged Dielectric Isolation Valve Sets - NPT

each

96806129	Bronze 1/2" NPT GF15/26 Flange Isolation Valve Set	55	\$80
96806130	Bronze 3/4" NPT GF15/26 Flange Isolation Valve Set	55	\$83
96806131	Bronze 1" NPT GF15/26 Flange Isolation Valve Set	55	\$128
96806132	Bronze 1-1/4" NPT GF15/26 Flange Isolation Valve Set	55	\$147
96806133	Bronze 1-1/2" NPT GF15/26 Flange Isolation Valve Set	55	\$153

Each Set Contains: 2 each - Rotating Flanges, Lever handled full ported ball valve, EPDM Gaskets, Dielectric Sleeves
4 each - 7/16" X 1-3/4" Bolts w/Nuts



Packaged Dielectric Isolation Valve Sets - Sweat

96806134	Bronze 1/2" Sweat GF15/26 Flange Isolation Valve Set	55	\$77
96806135	Bronze 3/4" Sweat GF15/26 Flange Isolation Valve Set	55	\$98
96806136	Bronze 1" Sweat GF15/26 Flange Isolation Valve Set	55	\$124
96806137	Bronze 1-1/4" Sweat GF15/26 Flange Isolation Valve Set	55	\$146
96806138	Bronze 1-1/2" Sweat GF15/26 Flange Isolation Valve Set	55	\$135

* Can only be ordered in Bulk Packs (Multiple of 10 sets)

Replacement Gaskets

each

91130069	1/2 - 1" Connection	55	\$13
91130185	1-1/4 to 1-1/2" Connection	55	\$13

TIMERS & CONTROLS

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

PART NUMBER	DESCRIPTION	Mat. Price Group	LIST PRICE Each USD
----------------	-------------	---------------------	------------------------

Timer Control

99521972	Programmable Digital Timer for use with Single Speed, Series UP (115 volt) circulators. Timer Only	50	\$68
99519620	Retrofit Timer Kit with programmable clock/timer, line cord and lid for use with Single Speed, Series UP (115 volt) circulators	55	\$84
599388	24-Hour Programmable Analog Clock/Timer for use with Single Speed, Series UP (115 volt) circulators	55	\$155

Thermostatic Controls

595443	Aquastat Kit, 1/2" Clip-on mount for 5/8" O.D. system piping size, 85°F - 105°F	55	\$64
	(1/2" I.D. copper tubing or 3/8" steel pipe) shielded wire, with 2-ft. PVC jacketed cable		
595444	Aquastat Kit, 3/4" Clip-on mount for 7/8" O.D. system piping size, 85°F - 105°F	55	\$64
	(3/4" I.D. copper tubing or 1/2" steel pipe) shielded wire, with 2-ft. PVC jacketed cable		
595656	Aquastat Kit, 1/2" Clip-on mount for 5/8" O.D. system piping size, 105°F - 115°F	55	\$64
	(1/2" I.D. copper tubing or 3/8" steel pipe) shielded wire, with 2-ft. PVC jacketed cable		
595657	Aquastat Kit, 3/4" Clip-on mount for 7/8" O.D. system piping size, 105°F - 115°F	55	\$64
	(3/4" I.D. copper tubing or 1/2" steel pipe) shielded wire, with 2-ft. PVC jacketed cable		

GRUNDFOS GO REMOTE

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

MODEL	PART NUMBER	DESCRIPTION	Mat. Price	LIST PRICE
			Group	USD

Grundfos GO Remote

MI 301	98046408	Universal Bluetooth dongle for Android or iOS device	95	\$562
--------	--------------------------	--	----	-------



LARGE UPS

CAST IRON BODY CIRCULATORS

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

MODEL	MAX Hp	NOM FLG"	FLANGE MOUNT	PART NUMBER	DESCRIPTION	Mat. Price Group	LIST PRICE USD
UPS32-40/4	1/3	1-1/4	GF15/26	96402694	Cast Iron, 1 x 115V	52	\$1,673
				96402695	Cast Iron, 1 x 230V	52	\$1,673
				96402696	Cast Iron, 3 x 208-230V	52	\$1,673
				96402697	Cast Iron, 3 x 460V, 2-speed	52	\$1,673
UPS32-80/2	1/2	1-1/4	GF15/26	96402708	Cast Iron, 1 x 115V	52	\$1,826
				96402709	Cast Iron, 1 x 230V	52	\$1,826
				96402710	Cast Iron, 3 x 208-230V	52	\$1,826
				96402711	Cast Iron, 3 x 460V, 2-speed	52	\$1,826
UPS32-160/2	3/4	1-1/2	GF40/43	96402730	Cast Iron, 1 x 115V	52	\$2,378
				96402733	Cast Iron, 1 x 230V	52	\$2,378
				96402736	Cast Iron, 3 x 208-230V	52	\$2,378
				96402737	Cast Iron, 3 x 460V, 2-speed	52	\$2,378
UPS40-40/4	1/3	1-1/2	GF40/43	96402748	Cast Iron, 1 x 115V	52	\$2,395
				96402749	Cast Iron, 1 x 230V	52	\$2,395
				96402750	Cast Iron, 3 x 208-230V	52	\$2,395
				96402751	Cast Iron, 3 x 460V, 2-speed	52	\$2,395
UPS40-80/4	1/2	1-1/2	GF40/43	96404948	Cast Iron, 1 x 115V	52	\$2,448
				96404949	Cast Iron, 1 x 230V	52	\$2,448
				96404950	Cast Iron, 3 x 208-230V	52	\$2,448
				96404951	Cast Iron, 3 x 460V, 2-speed	52	\$2,448
UPS40-80/2	3/4	1-1/2	GF40/43	96402762	Cast Iron, 1 x 115V	52	\$2,474
				96402763	Cast Iron, 1 x 230V	52	\$2,474
				96402764	Cast Iron, 3 x 208-230V	52	\$2,474
				96402765	Cast Iron, 3 x 460V, 2-speed	52	\$2,474
UPS40-160/2	3/4	1-1/2	GF40/43	96402782	Cast Iron, 1 x 115V	52	\$3,133
				96402783	Cast Iron, 1 x 230V	52	\$3,133
				96402784	Cast Iron, 3 x 208-230V	52	\$3,133
				96402785	Cast Iron, 3 x 460V, 2-speed	52	\$3,133
UPS40-240/2	1-1/2	1-1/2	GF40/43	96402797	Cast Iron, 1 x 230V	52	\$3,835
				96402798	Cast Iron, 3 x 208-230V	52	\$3,835
				96402799	Cast Iron, 3 x 460V	52	\$3,835
				96402814	Cast Iron, 1 x 115V	52	\$1,998
UPS50-40/4	1/3	2	GF50	96402815	Cast Iron, 1 x 230V	52	\$1,998
				96402816	Cast Iron, 3 x 208-230V	52	\$1,998
				96402817	Cast Iron, 3 x 460V, 2-speed	52	\$1,998
				96404958	Cast Iron, 1 x 115V	52	\$2,430
UPS50-80/4	3/4	2	GF50	96404959	Cast Iron, 1 x 230V	52	\$2,430
				96404960	Cast Iron, 3 x 208-230V	52	\$2,430
				96404961	Cast Iron, 3 x 460V, 2-speed	52	\$2,430
				96402834	Cast Iron, 1 x 115V	52	\$2,454
UPS50-80/2	3/4	2	GF50	96402836	Cast Iron, 1 x 230V	52	\$2,454
				96402838	Cast Iron, 3 x 208-230V	52	\$2,454
				96402840	Cast Iron, 3 x 460V, 2-speed	52	\$2,454
				96411613	Cast Iron, 1 x 230V	52	\$3,717
UPS50-160/2	1-1/2	2	GF50	96402860	Cast Iron, 3 x 208-230V	52	\$3,717
				96402861	Cast Iron, 3 x 460V, 2-speed	52	\$3,717
				96402882	Cast Iron, 3 x 208-230V	52	\$4,062
UPS50-240/2	2	2	GF50	96402883	Cast Iron, 3 x 460V, 2-speed	52	\$4,062
				96654373	Cast Iron, 1 x 115V	52	\$3,060
UPS53-55/57F	3/4	2	GF53	96654374	Cast Iron, 1 x 230V	52	\$3,060
				96654375	Cast Iron, 3 x 208-230V	52	\$3,060
				96654376	Cast Iron, 3 x 460V, 2-speed	52	\$3,060
				96654378	Cast Iron, 1 x 230V	52	\$4,634
UPS75-69F	1-1/2	3	GF80	96654379	Cast Iron, 3 x 208-230V	52	\$4,634
				96654390	Cast Iron, 3 x 460V, 2-speed	52	\$4,634
				96402894	Cast Iron, 3 x 208-230V	52	\$2,717
UPS80-40/4	1/2	3	GF80	96402895	Cast Iron, 3 x 460V, 2-speed	52	\$2,717
				96402908	Cast Iron, 3 x 208-230V	52	\$3,324
UPS80-80/4	1-1/2	3	GF80	96402920	Cast Iron, 3 x 208-230V	52	\$4,157
				96402921	Cast Iron, 3 x 460V, 2-speed	52	\$4,157
UPS80-160/2	3	3	GF80	96402934	Cast Iron, 3 x 208-230V	52	\$4,141
				96402935	Cast Iron, 3 x 460V, 2-speed	52	\$4,141

Please use Grundfos EXTRANET to check product lead times

LARGE UPS BRONZE BODY CIRCULATORS

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

MODEL	MAX Hp	NOM FLG"	FLANGE MOUNT	PART NUMBER	DESCRIPTION		Mat. Price Group	LIST PRICE USD
UPS32-40/4	1/3	1-1/4	GF15/26	96402699	Bronze, 1 x 115V		52	\$3,154
				96402700	Bronze, 1 x 230V		52	\$3,154
				96402701	Bronze, 3 x 208-230V		52	\$3,154
				96402702	Bronze, 3 x 460V		52	\$3,154
UPS32-80/2	1/2	1-1/4	GF15/26	96402713	Bronze, 1 x 115V		52	\$3,260
				96402714	Bronze, 1 x 230V		52	\$3,260
				96402715	Bronze, 3 x 208-230V		52	\$3,260
				96402716	Bronze, 3 x 460V, 2-speed		52	\$3,260
UPS32-160/2	3/4	1-1/2	GF40/43	96402739	Bronze, 1 x 115V		52	\$4,250
				96402740	Bronze, 1 x 230V		52	\$4,250
				96402741	Bronze, 3 x 208-230V		52	\$4,250
				96402742	Bronze, 3 x 460V, 2-speed		52	\$4,250
UPS40-40/4	1/3	1-1/2	GF40/43	96402753	Bronze, 1 x 115V		52	\$3,932
				96402754	Bronze, 1 x 230V		52	\$3,932
				96402755	Bronze, 3 x 208-230V		52	\$3,932
				96402756	Bronze, 3 x 460V, 2-speed		52	\$3,932
UPS40-80/4	1/2	1-1/2	GF40/43	96404953	Bronze, 1 x 115V		52	\$4,173
				96404954	Bronze, 1 x 230V		52	\$4,173
				96404955	Bronze, 3 x 208-230V		52	\$4,173
				96404956	Bronze, 3 x 460V, 2-speed		52	\$4,173
UPS40-80/2	3/4	1-1/2	GF40/43	96402767	Bronze, 1 x 115V		52	\$4,214
				96402768	Bronze, 1 x 230V		52	\$4,214
				96402769	Bronze, 3 x 208-230V		52	\$4,214
				96402770	Bronze, 3 x 460V, 2-speed		52	\$4,214
UPS40-160/2	3/4	1-1/2	GF40/43	96402787	Bronze, 1 x 115V		52	\$5,195
				96402788	Bronze, 1 x 230V		52	\$5,195
				96402789	Bronze, 3 x 208-230V		52	\$5,195
				96402790	Bronze, 3 x 460V, 2-speed		52	\$5,195
UPS40-240/2	1-1/2	1-1/2	GF40/43	96402804	Bronze, 1 x 230V		52	\$6,141
				96402805	Bronze, 3 x 208-230V		52	\$6,141
				96402807	Bronze, 3 x 460V, 2-speed		52	\$6,141
				96402819	Bronze, 1 x 115V		52	\$3,779
UPS50-40/4	1/3	2	GF50	96402820	Bronze, 1 x 230V		52	\$3,779
				96402821	Bronze, 3 x 208-230V		52	\$3,779
				96402822	Bronze, 3 x 460V, 2-speed		52	\$3,779
				96404963	Bronze, 1 x 115V		52	\$4,212
UPS50-80/4	3/4	2	GF50	96404964	Bronze, 1 x 230V		52	\$4,212
				96404965	Bronze, 3 x 208-230V		52	\$4,212
				96404966	Bronze, 3 x 460V, 2-speed		52	\$4,212
				96402843	Bronze, 1 x 115V		52	\$4,094
UPS50-80/2	3/4	2	GF50	96402844	Bronze, 1 x 230V		52	\$4,094
				96402845	Bronze, 3 x 208-230V		52	\$4,094
				96402846	Bronze, 3 x 460V, 2-speed		52	\$4,094
				96411614	Bronze, 1 x 230V		52	\$6,727
UPS50-160/2	1-1/2	2	GF50	96402866	Bronze, 3 x 208-230V		52	\$6,727
				96402868	Bronze, 3 x 460V, 2-speed		52	\$6,727
				96402885	Bronze, 3 x 208-230V		52	\$7,178
				96402886	Bronze, 3 x 460V, 2-speed		52	\$7,178
UPS53-55/57F	3/4	2	GF53	96654392	Bronze, 1 x 115V		52	\$5,782
				96654393	Bronze, 1 x 230V		52	\$5,782
				96654394	Bronze, 3 x 208-230V		52	\$5,782
				96654395	Bronze, 3 x 460V, 2-speed		52	\$5,782
UPS75-69F	1-1/2	3	GF80	96654397	Bronze, 1 x 230V		52	\$8,752
				96654398	Bronze, 3 x 208-230V		52	\$8,752
				96654399	Bronze, 3 x 460V, 2-speed		52	\$8,752
				96402899	Bronze, 3 x 208-230V		52	\$6,708
UPS80-40/4	1/2	3	GF80	96402900	Bronze, 3 x 460V, 2-speed		52	\$6,708
				96402913	Bronze, 3 x 208-230V		52	\$7,149
UPS80-80/4	1-1/2	3	GF80	96402923	Bronze, 3 x 208-230V		52	\$7,855
				96402924	Bronze, 3 x 460V, 2-speed		52	\$7,855
UPS100-40/4	1	4	GF100	96402937	Bronze, 3 x 208-230V		52	\$6,601
				96402938	Bronze, 3 x 460V, 2-speed		52	\$6,601

Please use Grundfos EXTRANET to check product lead times

SCALA2, SCALA1 & SBA PRESSURE BOOSTING SYSTEMS

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

PART		DESCRIPTION	Mat. Price	LIST PRICE
MODEL	NUMBER		Group	USD

SCALA2 Variable Speed-Constant Pressure Boosting System



SCALA2	98562818	3/4 Hp 115V w/diaphragm tank, sensor, controller, check valve	16	\$1,477
	98562817	3/4 Hp 230V w/diaphragm tank, sensor, controller, check valve	16	\$1,477

SBA A w/Integrated Suction Strainer

SBA3-35 A	97896329	SBA3-35 A 1x115V 60Hz 45ft NEMA, NPT	16	\$1,083
SBA3-45 A	97896333	SBA3-45 A 1x115V 60Hz 45ft NEMA, NPT	16	\$1,137

SBA AW w/Side Inlet & Floating Suction Strainer

SBA3-45 AW	97896335	SBA3-45 AW 1x115V 60Hz 45ft NEMA, NPT	16	\$1,384
------------	--------------------------	---------------------------------------	----	---------

Pipe connection may be cut to 3/4" or 1" NPT

All pumps are available with float switch for low water stop.

CMBE BOOSTER SYSTEM

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

MODEL	PART NUMBER	DESCRIPTION	Mat. Price Group	LIST PRICE USD
-------	----------------	-------------	---------------------	-------------------

CMBE 1

CMBE 1-44	98810910	1 X 110-120V	16	\$3,312
	98548109	1 x 200-240V	16	\$3,312
CMBE 1-75	98810921	1 X 110-120V	16	\$3,953
	98548110	1 x 200-240V	16	\$3,953
CMBE 1-99	98548111	1 x 200-240V	16	\$4,743

CMBE 3

CMBE 3-30	98810922	1 X 110-120V	16	\$3,953
	98548112	1 x 200-240V	16	\$3,953
CMBE 3-51	98810924	1 X 110-120V	16	\$4,310
CMBE 3-62	98548113	1 x 200-240V	16	\$4,698
CMBE 3-93	98548114	1 x 200-240V	16	\$5,118

CMBE 5

CMBE 5-31	98548115	1 x 200-240V	16	\$4,698
CMBE 5-62	98548116	1 x 200-240V	16	\$5,118

CMBE 10

CMBE 10-54	98548118	1 x 200-240V	16	\$5,577
------------	--------------------------	--------------	----	---------

Selection guide

This is a quick and easy tool to show you which product is ideal for your needs. Just follow the charts and instructions on this page, and you will be sure to get a perfect fit.

Example: sizing and selection

A: Required comfort level

- Adjustable constant pressure.

B: Find the right booster

- How many taps? 6.
- How many floors? 3.

Result: CMBE 1-75

Number of taps				
Number of floors	1-5	6-10	11-20	21-50
	4 CMBE 1-75	CMBE 1-75	CMBE 3-62	CMBE 3-93
	3 CMBE 1-44	CMBE 1-75	CMBE 3-62	CMBE 3-62
	2 CMBE 1-44	CMBE 1-44	CMBE 3-62	CMBE 3-62
	1 CMBE 1-44	CMBE 1-44	CMBE 3-30	CMBE 3-62

CMBE TWIN BOOSTER SYSTEM

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

CMBE TWIN - Complete Systems

MODEL	PART NUMBER	DESCRIPTION	Mat. Price Group	LIST PRICE USD
CMBE TWIN 1-44	99503861	CMBE TWIN 1-44 1x115V 60Hz Fusebox	16	\$7,286
CMBE TWIN 3-51	99503873	CMBE TWIN 3-51 1x115V 60Hz Fusebox	16	\$9,482
CMBE TWIN 10-54	99503875	CMBE TWIN 10-54 1x200-240V 60Hz Fusebox	16	\$12,269

CMBE TWIN - Individual Replacement Pumps

CMBE TWIN 1-44	99947812	CMBE 1-44 1x115V 60Hz	16	\$3,642
CMBE TWIN 3-51	99947843	CMBE 3-51 1x115V 60Hz	16	\$4,740
CMBE TWIN 10-54	99947844	CMBE 10-54 1x200-240V 60Hz	16	\$6,134

**Configured strictly for CMBE TWIN Systems

**Not intended for stand-alone installations



Hydro Multi-B Booster Systems

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

NUMBER OF PUMPS	PUMP MODEL	MOTOR HP	HEADER SIZE	PART NUMBER	LIST PRICE	PART NUMBER	PART NUMBER	LIST PRICE
Hydro Multi-B CME 3				1 x 208-230 V		3 x 208-230 V	3 x 460 V	
2	CME 3-3	1.5	2" NPT	91149101	POA			
	CME 3-5	1.5		91149102	POA			
3	CME 3-3	1.5	2" NPT	91149103	POA			
	CME 3-5	1.5		91149104	POA			
Hydro Multi-B CME 5								
2	CME 5-3	1.5	2" NPT	91149105	POA			
	CME 5-4	2		91149106	POA	91149111	91149123	POA
	CME 5-5	2				99236540	91149124	POA
3	CME 5-3	1.5	2" NPT	91149107	POA			
	CME 5-4	2		91149108	POA	91149112	91149125	POA
	CME 5-5	2				99236543	91149126	POA
Hydro Multi-B CME 10								
2	CME 10-1	2	2.5" NPT	91149109	POA			
	CME 10-2	3				91149113	91149127	POA
	CME 10-3	5				91149114	91149128	POA
3	CME 10-1	2	2.5" NPT	91149110	POA			
	CME 10-2	3				91149115	91149129	POA
	CME 10-3	5				91149116	91149130	POA
Hydro Multi-B CME 15								
2	CME 15-1	3	3" ANSI			91149117	91149131	POA
	CME 15-2	5				91149118	91149132	POA
	CME 15-3	7.5				91149119	91149133	POA
3	CME 15-1	3	4" ANSI			91149120	91149134	POA
	CME 15-2	5				91149121	91149135	POA
	CME 15-3	7.5				91149122	91149136	POA
Hydro Multi-B CME 25								
2	CME 25-1	5	4" ANSI			99184377	99184382	POA
	CME 25-2	7.5				99184379	99184383	POA
3	CME 25-1	5	4" ANSI			99184380	99184384	POA
	CME 25-2	7.5				99184381	99184385	POA

Note: System supplied with 3-5 psi pressure switch mounted on suction manifold for dry run protection.

Note: Price on Application (POA) Pricing available on extranet.

Diaphragm Tank

TYPE		PART NUMBER	PART PRICE (\$)
Diaphragm Tank CME 3 & 5	4.4 Gallon (Non-Code)	91121888	POA
Diaphragm Tank CME 10 & 15	10.3 Gal. (Non-Code)	91121890	POA
Diaphragm Tank CME 15 & 25	34 Gal. (Non-Code)	91121893	POA

(Tank size is recommended minimum size)

Hydro Multi-E Booster Systems

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

NUMBER OF PUMPS	PUMP MODEL	MOTOR HP	HEADER SIZE	1 x 200-240 V			3 x 200-240 V			3 x 440-480 V		
				PART NUMBER	DOE PEI _{VL}	LIST PRICE (\$)	PART NUMBER	DOE PEI _{VL}	LIST PRICE (\$)	PART NUMBER	DOE PEI _{VL}	LIST PRICE (\$)

Hydro Multi-E CRE 3 with Dry Run Protection via Pressure Switch

2	CRE 3-6	1	2" NPT	99334059	N/A	POA	99445611	N/A	POA	99334001	N/A	POA
	CRE 3-9	1 1/2		99334060	N/A	POA	99445612	N/A	POA	99334002	N/A	POA
	CRE 3-12	2		99334061	N/A	POA	99445623	N/A	POA	99334013	N/A	POA
	**CRE 3-15	3					99445624	N/A	POA	99334014	N/A	POA
3	CRE 3-6	1	2" NPT	99334684	N/A	POA	99445643	N/A	POA	99334035	N/A	POA
	CRE 3-9	1 1/2		99334685	N/A	POA	99445645	N/A	POA	99334036	N/A	POA
	CRE 3-12	2		99334686	N/A	POA	99445646	N/A	POA	99334037	N/A	POA
	**CRE 3-15	3					99445647	N/A	POA	99334038	N/A	POA

Hydro Multi-E CRE 5 with Dry Run Protection via Pressure Switch

2	CRE 5-4	1 1/2	2" NPT	99334062	N/A	POA	99445625	N/A	POA	99334015	N/A	POA
	CRE 5-6	2		99334063	N/A	POA	99445626	N/A	POA	99334016	N/A	POA
	CRE 5-9	3					99445627	N/A	POA	99334017	N/A	POA
	**CRE 5-16	5					99445628	N/A	POA	99334018	N/A	POA
3	CRE 5-4	1 1/2	2.5" NPT	99334687	N/A	POA	99445648	N/A	POA	99334039	N/A	POA
	CRE 5-6	2					99445649	N/A	POA	99334040	N/A	POA
	CRE 5-9	3					99445650	N/A	POA	99334041	N/A	POA
	**CRE 5-16	5					99445651	N/A	POA	99334042	N/A	POA

Hydro Multi-E CRE 10 12

2	CRE 10-2	1 1/2	2.5" NPT	99334064	0.41	POA	99445629	0.43	POA	99334019	0.41	POA
	CRE 10-3	3					99445630	0.41	POA	99334020	0.40	POA
	CRE 10-4	3					99445631	0.41	POA	99334021	0.40	POA
	CRE 10-5	5					99445632	0.41	POA	99334022	0.40	POA
	CRE 10-6	5					99445633	0.41	POA	99334023	0.40	POA
	CRE 10-8	7 1/2					99445634	0.41	POA	99334024	0.40	POA
	CRE 10-10	7 1/2					99445635	0.41	POA	99334025	0.40	POA
3	CRE 10-2	1 1/2	3" NPT	99334689	0.41	POA	99445652	0.43	POA	99334043	0.41	POA
	CRE 10-3	3					99445653	0.41	POA	99334044	0.40	POA
	CRE 10-4	3					99445654	0.41	POA	99334045	0.40	POA
	CRE 10-5	5					99445655	0.41	POA	99334046	0.40	POA
	CRE 10-6	5					99445656	0.41	POA	99334047	0.40	POA
	CRE 10-8	7 1/2					99445657	0.41	POA	99334048	0.40	POA
	CRE 10-10	7 1/2					99449909	0.41	POA	99334049	0.40	POA

- Notes:
- 1) A pressure switch (Normally Open Contact) mounted on suction manifold is used for Dry Run
 - 2) CRE 3 & CRE 5 are out of DOE PEI rating scope
 - 3) CRE 10 Max Imp Dia = 3.66"

** Multi-E systems with CRE3-15 & CRE5-16 pumps are not NSF61/372 approved

Diaphragm Tank

TYPE		PART NUMBER	LIST PRICE (\$)
Diaphragm Tank CR 3 & CR 5	4.4 Gal. (Non-Code)	91121888	POA
Diaphragm Tank CR 10	10.3 Gal. (Non-Code)	91121890	POA

(Tank size is recommended minimum size)

PRICES: Effective in USA ONLY and subject to change without notice.



Hydro Multi-E Booster Systems

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

			1 x 200-240 V			3 x 200-240 V			3 x 440-480 V			
NUMBER OF PUMPS	PUMP MODEL	MOTOR HP	HEADER SIZE	PART NUMBER	DOE PEI _{VL}	LIST PRICE (\$)	PART NUMBER	DOE PEI _{VL}	LIST PRICE (\$)	PART NUMBER	DOE PEI _{VL}	LIST PRICE (\$)
Hydro Multi-E CRE 15 with Dry Run Protection via Pressure Switch												
2	CRE 15-1	2	4" ANSI	99334065	0.45	POA	99445636	0.44	POA	99334026	0.46	POA
	CRE 15-2	5				99445637	0.42	POA	99334027	0.40	POA	
	CRE 15-3	7 1/2				99445638	0.42	POA	99334028	0.40	POA	
	CRE 15-4	7 1/2				99445639	0.42	POA	99334029	0.40	POA	
	CRE 15-5	10						99334030	0.40	POA		
3	CRE 15-1	2	4" ANSI	99334690	0.45	POA	99445658	0.44	POA	99334050	0.46	POA
	CRE 15-2	5				99445659	0.42	POA	99334051	0.40	POA	
	CRE 15-3	7 1/2				99445660	0.42	POA	99334052	0.40	POA	
	CRE 15-4	7 1/2				99445661	0.42	POA	99334053	0.40	POA	
	CRE 15-5	10						99334054	0.40	POA		

Hydro Multi-E CRE 20 with Dry Run Protection via Pressure Switch

2	CRE 20-1	3	4" ANSI				99445640	0.42	POA	99334031	0.41	POA
	CRE 20-2	5					99445641	0.42	POA	99334032	0.41	POA
	CRE 20-3	7 1/2					99445642	0.42	POA	99334033	0.41	POA
	CRE 20-4	10								99334034	0.41	POA
3	CRE 20-1	3	4" ANSI				99445662	0.42	POA	99334055	0.41	POA
	CRE 20-2	5					99445663	0.42	POA	99334056	0.41	POA
	CRE 20-3	7 1/2					99445664	0.42	POA	99334057	0.41	POA
	CRE 20-4	10								99334058	0.41	POA

Notes: 1) A pressure switch (Normally Open Contact) mounted on suction manifold is used for Dry Run
2) CRE 15 & CRE 20 Max Imp Dia = 4.13"

Diaphragm Tank

TYPE		PART NUMBER	LIST PRICE (\$)
Diaphragm Tank CR 15	34 Gal. (Non-Code)	91121893	POA
Diaphragm Tank CR 20	44 Gal. (Non-Code)	91121894	POA

(Tank size is recommended minimum size)

PRICES: Effective in USA ONLY and subject to change without notice.



Hydro Multi-E Booster Systems

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

NUMBER OF PUMPS	PUMP MODEL	MOTOR HP	HEADER SIZE	1 x 200-240 V			3 x 200-240 V			3 x 440-480 V		
				PART NUMBER	DOE PEI _{VL}	LIST PRICE (\$)	PART NUMBER	DOE PEI _{VL}	LIST PRICE (\$)	PART NUMBER	DOE PEI _{VL}	LIST PRICE (\$)

Hydro Multi-E CRE 3 with Dry Run Protection via Pressure Transducers

2	CRE 3-6	1	2" NPT	99761496	N/A	POA	99761452	N/A	POA	99761393	N/A	POA
	CRE 3-9	1 1/2		99761497	N/A	POA	99761453	N/A	POA	99761395	N/A	POA
	CRE 3-12	2		99761498	N/A	POA	99761454	N/A	POA	99761396	N/A	POA
	**CRE 3-15	3					99761455	N/A	POA	99761397	N/A	POA
3	CRE 3-6	1	2" NPT	99761503	N/A	POA	99761474	N/A	POA	99761428	N/A	POA
	CRE 3-9	1 1/2		99761504	N/A	POA	99761475	N/A	POA	99761429	N/A	POA
	CRE 3-12	2		99761505	N/A	POA	99761476	N/A	POA	99761430	N/A	POA
	**CRE 3-15	3					99761477	N/A	POA	99761431	N/A	POA

Hydro Multi-E CRE 5 with Dry Run Protection via Pressure Transducers

2	CRE 5-4	1 1/2	2" NPT	99761499	N/A	POA	99761456	N/A	POA	99761398	N/A	POA
	CRE 5-6	2		99761500	N/A	POA	99761457	N/A	POA	99761399	N/A	POA
	CRE 5-9	3					99761458	N/A	POA	99761400	N/A	POA
	**CRE 5-16	5					99761459	N/A	POA	99761401	N/A	POA
3	CRE 5-4	1 1/2	2.5" NPT	99761506	N/A	POA	99761478	N/A	POA	99761432	N/A	POA
	CRE 5-6	2					99761479	N/A	POA	99761433	N/A	POA
	CRE 5-9	3					99761480	N/A	POA	99761434	N/A	POA
	**CRE 5-16	5					99761481	N/A	POA	99761435	N/A	POA

Hydro Multi-E CRE 10 12

2	CRE 10-2	1 1/2	2.5" NPT	99761501	0.41	POA	99761460	0.43	POA	99761402	0.41	POA
	CRE 10-3	3					99761461	0.41	POA	99761413	0.40	POA
	CRE 10-4	3					99761462	0.41	POA	99761414	0.40	POA
	CRE 10-5	5					99761463	0.41	POA	99761415	0.40	POA
	CRE 10-6	5					99761464	0.41	POA	99761416	0.40	POA
	CRE 10-8	7 1/2					99761465	0.41	POA	99761417	0.40	POA
	CRE 10-10	7 1/2					99761466	0.41	POA	99761418	0.40	POA
3	CRE 10-2	1 1/2	3" NPT	99761508	0.41	POA	99761482	0.43	POA	99761436	0.41	POA
	CRE 10-3	3					99761483	0.41	POA	99761437	0.40	POA
	CRE 10-4	3					99761484	0.41	POA	99761438	0.40	POA
	CRE 10-5	5					99761485	0.41	POA	99761439	0.40	POA
	CRE 10-6	5					99761486	0.41	POA	99761440	0.40	POA
	CRE 10-8	7 1/2					99761487	0.41	POA	99761441	0.40	POA
	CRE 10-10	7 1/2					99761488	0.41	POA	99761442	0.40	POA

- Notes:
- 1) Two pressure transducers are mounted on suction manifold with each connected to a Master Motor
 - 2) Dry Run Protection is via Limit Exceed Minimum Limit function
 - 3) CRE 3 & CRE 5 are out of DOE PEI rating scope
 - 4) CRE 10 Max Imp Dia = 3.66"

** Multi-E systems with CRE3-15 & CRE5-16 pumps are not NSF61/372 approved

Diaphragm Tank

TYPE		PART NUMBER	LIST PRICE (\$)
Diaphragm Tank CR 3 & CR 5	4.4 Gal. (Non-Code)	91121888	POA
Diaphragm Tank CR 10	10.3 Gal. (Non-Code)	91121890	POA

(Tank size is recommended minimum size)

PRICES: Effective in USA ONLY and subject to change without notice.



Hydro Multi-E Booster Systems

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

NUMBER OF PUMPS	PUMP MODEL	MOTOR HP	HEADER SIZE	1 x 200-240 V			3 x 200-240 V			3 x 440-480 V		
				PART NUMBER	DOE PEI _{VL}	LIST PRICE (\$)	PART NUMBER	DOE PEI _{VL}	LIST PRICE (\$)	PART NUMBER	DOE PEI _{VL}	LIST PRICE (\$)

Hydro Multi-E CRE 15 with Dry Run Protection via Pressure Transducers

2	CRE 15-1	2	4" ANSI	99761502	0.45	POA	99761467	0.44	POA	99761419	0.46	POA
	CRE 15-2	5					99761468	0.42	POA	99761420	0.40	POA
	CRE 15-3	7 1/2					99761469	0.42	POA	99761421	0.40	POA
	CRE 15-4	7 1/2					99761470	0.42	POA	99761422	0.40	POA
	CRE 15-5	10								99761423	0.40	POA
3	CRE 15-1	2	4" ANSI	99761509	0.45	POA	99761489	0.44	POA	99761443	0.46	POA
	CRE 15-2	5					99761490	0.42	POA	99761444	0.40	POA
	CRE 15-3	7 1/2					99761491	0.42	POA	99761445	0.40	POA
	CRE 15-4	7 1/2					99761492	0.42	POA	99761446	0.40	POA
	CRE 15-5	10								99761447	0.40	POA

Hydro Multi-E CRE 20 with Dry Run Protection via Pressure Transducers

2	CRE 20-1	3	4" ANSI				99761471	0.42	POA	99761424	0.41	POA
	CRE 20-2	5					99761472	0.42	POA	99761425	0.41	POA
	CRE 20-3	7 1/2					99761473	0.42	POA	99761426	0.41	POA
	CRE 20-4	10								99761427	0.41	POA
3	CRE 20-1	3	4" ANSI				99761493	0.42	POA	99761448	0.41	POA
	CRE 20-2	5					99761494	0.42	POA	99761449	0.41	POA
	CRE 20-3	7 1/2					99761495	0.42	POA	99761450	0.41	POA
	CRE 20-4	10								99761451	0.41	POA

- Notes:
- 1) Two pressure transducers are mounted on suction manifold with each connected to a Master Motor
 - 2) Dry Run Protection is via Limit Exceed Minimum Limit function
 - 3) CRE 15 & CRE 20 Max Imp Dia = 4.13"

Diaphragm Tank

TYPE		PART NUMBER	LIST PRICE (\$)
Diaphragm Tank CR 15	34 Gal. (Non-Code)	91121893	POA
Diaphragm Tank CR 20	44 Gal. (Non-Code)	91121894	POA

(Tank size is recommended minimum size)

PRICES: Effective in USA ONLY and subject to change without notice.



JP Shallow Well Jet Pumps

MPG 09

MPG 09

HP	Voltage	Material	OLD Model Nomenclature	OLD Part Number	NEW Material	NEW Model Nomenclature	NEW Part Number	NEW List Price	NEW Ship Weight (LBS)
1/3	1 x 115/230V	Stainless Steel	-	-	Stainless Steel	JP 13-03-137	99463938	\$601	52
1/2		Cast Iron	JP05S-CI	97855073		JP 16-05-154	99463939	\$726	57
		Stainless Steel	JP05S-SS	97855075		JP 16-07-177	99463940	\$872	68
3/4		Cast Iron	JP07S-CI	97855081					
		Stainless Steel	JP07S-SS	97855083					
1		Cast Iron	JP10S-CI	97855085					
		Stainless Steel	JP10S-SS	97855088					
30-50 PSI Pressure Switch Setting									

HP	Voltage	Material	Model Nomenclature	Part Number	List Price	Ship Weight (LBS)
1-1/2	1 x 230V	Cast Iron	JP15S-CI	97855091	\$1,187	72
2			JP20S-CI	97855094	\$1,284	80
3			JP30S-CI	97855095	\$1,540	80
40-60 PSI Pressure Switch Setting						

PRICES: (In U.S. \$) Effective only in the USA and are subject to change without notice.

UNILIFT

SUMP - SEWAGE - EFFLUENT - UTILITY

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

PART		DESCRIPTION	Mat. Price	LIST PRICE
MODEL	NUMBER		Group	USD

Unilift AP Pumps - Drainage/Utility

AP12	96011036	Manual, 1 x 115V, 1/2 Hp, 25' line cord	07	\$1,225
AP12	96847166	Automatic, 1 x 115V, 1/2 Hp, 25' line cord	07	\$1,269
AP12	96847171	Automatic, 1 x 230V, 1 Hp, 25' line cord	07	\$1,833
AP12	96847172	Automatic, 1 x 230V, 1-1/2 Hp, 25' line cord	07	\$2,742

Unilift AP Pumps - Effluent

AP35	96847179	Automatic, 1 x 230V, 1 Hp, 25' line cord	07	\$2,120
------	--------------------------	--	----	---------

Unilift AP Pumps - Domestic Sewage

AP50	96847183	Automatic, 1 x 230V, 1-1/2 Hp, 25' line cord	07	\$2,826
------	--------------------------	--	----	---------

Unilift AP Basic - Effluent

AP35B	96846962	Automatic, 1 x 230V, 1 Hp, 25' line cord	07	\$1,616
-------	--------------------------	--	----	---------

Unilift AP Basic - Domestic Sewage

AP50B	96846971	Automatic, 1 x 230V, 1-1/2 Hp, 25' line cord	07	\$2,423
-------	--------------------------	--	----	---------

Unilift KP Pumps - Drainage/Utility

KP150	011DC201	Manual, 1 x 115V, 1/4 Hp, 25' line cord	07	\$509
KP250	012DC201	Manual, 1 x 115V, 1/3 Hp, 25' line cord	07	\$542
KP350	013DC201	Manual, 1 x 115V, 1/2 Hp, 25' line cord	07	\$576

Unilift Series Vertical Floats

KP, AP, APB	96030395	Vertical Piggyback, 1 x 115V, 10' line cord	22	\$118
KP, AP, APB	96933675	Vertical Piggyback, 1 x 115V, 25' line cord	22	\$145
AP, APB	96933676	Vertical 1 x 230V, 10' line cord	22	\$126
AP, APB	96933677	Vertical 1 x 230V, 25' line cord	22	\$155

*Floatswitches for Automatic Operation of Manual pump models

MODEL	PART NUMBER	DESCRIPTION	Mat. Price	LIST PRICE
			Group	USD

Unilift Series Wide Angle Floats

KP, AP, APB	96926544	Wide Angle Piggyback, 1 x 115V, 10' line cord	22	\$50
KP, AP, APB	96901187	Wide Angle Piggyback, 1 x 115V, 25' line cord	22	\$99
AP, APB	96926545	Wide Angle 1 x 230V, 10' line cord	22	\$75
AP, APB	96901188	Wide Angle 1 x 230V, 25' line cord	22	\$105

Unilift Series Vertical Floats

CC, KP, AP, APB	96030395	Vertical Piggyback, 1 x 115V, 10' line cord	22	\$118
CC, KP, AP, APB	96933675	Vertical Piggyback, 1 x 115V, 25' line cord	22	\$145
CC, AP, APB	96933676	Vertical 1 x 230V, 10' line cord	22	\$126
CC, AP, APB	96933677	Vertical 1 x 230V, 25' line cord	22	\$155

UNILIFT - Control Panels

Simplex (1-pump)	99369651	LC231 NEMA 3R Enclosure, 1x100-240V/3x200-460V, 9.6[A]	94	\$706
Duplex (2-pump)	99369652	LC231 NEMA 3R Enclosure, 1x100-240V/3x200-460V, 7.6[A]	94	\$885

High Level Tank Alarms

Tank Alert I	96001042	NEMA 1, 1 x 115V, 20' float cable, 6' line cord	22	\$300
Tank Alert 4X	96001043	NEMA 4X, 1 x 115V, 20' float cable, 6' line cord	22	\$601

15' Float Cable 6' Power Cord

Tank Alert AB	96901182	NEMA 1, 1 x 115V,	22	\$216
---------------	----------	-------------------	----	-------

Replacement Floats for Panels & Alarms

112/122 Panels	96934590	20' Cord	22	\$85
Tank Alarms	96934589	15' Cord	22	\$74

* Consult Grundfos Partner Services for configuration, pricing and availability of control panel with options.

LC231 - Compact Control Box

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

Description	Phase	Voltage [VAC]	Overload Range[A]	Starter Type	List Price	Product number
LC231 - Ball Float or Submersible Transducer Control						
Simplex (1-pump) - LC231 - NEMA 3R Plastic Encl.	1 or 3	1x100-240V/3x200-460V (460V requires neutral)	1.0 - 9.6	DOL	\$741	99369651
Duplex (2-pump) - LC231 - NEMA 3R Plastic Encl.	1 or 3	1x100-240V/3x200-460V (460V requires neutral)	1.0 - 7.6	DOL	\$929	99369652



LC241 - Modular Control Panels

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

Description	Phase	Voltage [VAC]	Start Type	Overload Range[A]	List Price	Product number
LC241 - Ball float or Sub Transducer controlled						
Simplex (1-pump) - For 2HP SEG, Ext. Cap. Start, Type 4X Thermoplastic encl w/inner door	1	208/230V	DOL	3.0 - 16.0	\$2,981	99612826
Simplex (1-pump) - Type 4X Thermoplastic enclosure w/inner door	3	208/230/460V	DOL	1.0 - 5.0	\$2,664	99612799
Simplex (1-pump) - Type 4X Thermoplastic enclosure w/inner door	3	208/230/460V	DOL	3.0 - 12.0	\$2,771	99612800
Simplex (1-pump) - Type 4X Thermoplastic enclosure w/inner door	3	208/230/460V	DOL	8.0 - 32.0	\$2,903	99612801
Simplex (1-pump) - Type 4X Thermoplastic enclosure w/inner door	3	230/460/575V	DOL	1.0 - 5.0	\$2,701	99612802
Simplex (1-pump) - Type 4X Thermoplastic enclosure w/inner door	3	230/460/575V	DOL	3.0 - 12.0	\$2,808	99612813
Simplex (1-pump) - Type 4X Thermoplastic enclosure w/inner door	3	230/460/575V	DOL	8.0 - 32.0	\$2,938	99612814
Duplex (2-pump) - For 2HP SEG, Ext Cap. Start, Type 4X Thermoplastic encl w/inner door	1	208/230V	DOL	3.0 - 16.0	\$3,861	99612827
Duplex (2-pump) - Type 4X Thermoplastic enclosure w/inner door	3	208/230/460V	DOL	1.0 - 5.0	\$3,339	99612816
Duplex (2-pump) - Type 4X Thermoplastic enclosure w/inner door	3	208/230/460V	DOL	3.0 - 12.0	\$3,339	99612817
Duplex (2-pump) - Type 4X Thermoplastic enclosure w/inner door	3	208/230/460V	DOL	8.0 - 32.0	\$3,573	99612818
Duplex (2-pump) - Type 4X Thermoplastic enclosure w/inner door	3	230/460/575V	DOL	1.0 - 5.0	\$3,373	99612819
Duplex (2-pump) - Type 4X Thermoplastic enclosure w/inner door	3	230/460/575V	DOL	3.0 - 12.0	\$3,426	99612820
Duplex (2-pump) - Type 4X Thermoplastic enclosure w/inner door	3	230/460/575V	DOL	8.0 - 32.0	\$3,662	99612821

LC241 Optional Accessories	Product number
Intrinsically barrier for 4 float switches	For options pricing and configuration, please visit (click link below): http://grundfos.portal.intelliquip.com/library/library_entry/lc-controller-configurator-dot-xlsx
Intrinsically safe barrier for 5 float switches (2-pump control only)	
Intrinsically safe barrier for 4-20mA pressure transducer + 2 float switch	
IO 241 module - Adds additional Inputs/Outputs to the LC241	
Main panel disconnect switch (through inner door)	
Anti-Condensation Heater with Thermostat	
Inner door mount elapsed time meter for 1-pump panel (Simplex)	
Inner door mount elapsed time meters for 2-pump panels (Duplex)	
Yeomans seal fail relay 1-pump (Simplex)	
Yeomans seal fail relay 2-pump (Duplex)	
Lightning surge arrestor	
575 V phase monitor (Canada versions only)	
304 Stainless Steel Enclosure Upgrade	



Grundfos PIP Simplex Control and Alarm Panels

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

Grundfos PIP 1/2 - 2HP Spartan Series Simplex & duplex Control Panels						
Description	PN	Voltage	FLA	Panel Size	Mat. Price Group	List Price
 Spartan, Simplex, Float (Float not included)	99381162	1x120	13	10" x 8"	94	\$1,023
	99387965	1x240	6	10" x 8"	94	\$1,100
	99387966	1x240	11	10" x 8"	94	\$1,100
	99387967	1x240	14	10" x 8"	94	\$1,100
	99387968	1x240	16	10" x 8"	94	\$1,100
	99387969	3x208-230	6.3	12" x 10"	94	\$1,502
	99387970	3x208-230	10	12" x 10"	94	\$1,502
	99387971	3x208-230	16	12" x 10"	94	\$1,520
	99387972	3x480	4	12" x 10"	94	\$1,502
	99388193	3x480	6.3	12" x 10"	94	\$1,502
	99388194	3x480	10	12" x 10"	94	\$1,502
	99388195	3x600	2.5	12" x 10"	94	\$1,502
	99388196	3x600	4	12" x 10"	94	\$1,502
	99388197	3x600	6.3	12" x 10"	94	\$1,502
 Spartan, Duplex, Float (Float Not Included)	99391690	1x120	13	12" x 10"	94	\$1,305
	99391692	1x240	6	12" x 10"	94	\$1,766
	99391693	1x240	11	12" x 10"	94	\$1,766
	99391694	1x240	14	12" x 10"	94	\$1,766
	99391695	1X240	16	12" x 10"	94	\$1,766
	99391696	3x208-230	6.3	14" x 12"	94	\$1,982
	99391697	3x208-230	10	14" x 12"	94	\$1,982
	99391701	3x208-230	16	14" x 12"	94	\$1,982
	99391702	3x480	4	14" x 12"	94	\$1,982
	99391703	3x480	6.3	14" x 12"	94	\$1,982
	99392272	3x480	10	14" x 12"	94	\$1,982
	99392274	3x600	2.5	14" x 12"	94	\$1,982
	99392275	3x600	4	14" x 12"	94	\$1,982
	99392276	3x600	6.3	14" x 12"	94	\$1,982

Spartan Series - Simplex

APPLICATIONS:

SIMPLEX STORM/SANITARY SUMP APPLICATIONS

STANDARD FEATURES:

- INCOMING SERVICE MAIN DISCONNECT
- TYPE 4X POLYCARBONATE ENCLOSURE
- VISUAL/AUDIBLE ALARM INDICATION WITH SILENCING
- SIMPLE RELAY LOGIC CONTROLS
- 10MM PUMP RUN HOA TOGGLE SWITCHES
- 10MM NEON INDICATOR LIGHTS
- GENERAL ALARM REMOTE MONITORING DRY CONTACT
- EASY TO ACCESS FIELD TERMINALS
- UL 508A LISTED

SENSOR TYPE: FLOAT (Not Included)

Spartan Series - Duplex

APPLICATIONS:

DUPLEX STORM/SANITARY SUMP APPLICATIONS

STANDARD FEATURES:

- INCOMING SERVICE MAIN DISCONNECT
- TYPE 4X POLYCARBONATE ENCLOSURE
- VISUAL/AUDIBLE ALARM INDICATION WITH SILENCING
- SIMPLE RELAY LOGIC CONTROLS
- 10MM PUMP RUN HOA TOGGLE SWITCHES
- 10MM NEON INDICATOR LIGHTS
- GENERAL ALARM REMOTE MONITORING DRY CONTACT
- EASY TO ACCESS FIELD TERMINALS
- UL 508A LISTED

SENSOR TYPE: FLOAT (Not Included)

PRICES: Effective in USA ONLY and subject to change without notice.

Grundfos Alarm and PIP Simplex Oil Logic Control

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

Grundfos Alarm Panel & PIP 1/2 - 2HP Spartan Oil Logic Series Simplex Control Panels						
Description	PN	Voltage	FLA	Panel Size	Mat. Price Group	List Price
 Spartan Alarm Panel (Includes Float)	99381158	1x120	NA	6" x 6"	94	342.00
 Spartan, Simplex, Oil Logic (List Price includes Sensor) 	99388769	1x120	13	12" x 10"	94	\$1,844
	99388770	1x240	6	12" x 10"	94	\$1,947
	99388771	1x240	11	12" x 10"	94	\$1,947
	99388772	1x240	14	12" x 10"	94	\$1,947
	99389393	1x240	16	12" x 10"	94	\$1,947
	99389394	3x208-230	6.3	14" x 12"	94	\$2,483
	99389395	3x208-230	10	14" x 12"	94	\$2,483
	99389396	3x208-230	16	14" x 12"	94	\$2,483
	99389397	3x480	4	14" x 12"	94	\$2,483
	99389398	3x480	6.3	14" x 12"	94	\$2,483
	99389399	3x480	10	14" x 12"	94	\$2,483
	99389400	3x600	2.5	14" x 12"	94	\$2,483
	99389401	3x600	4	14" x 12"	94	\$2,483
	99389402	3x600	6.3	14" x 12"	94	\$2,483

Spartan APB Series

APPLICATIONS: WATER HIGH LEVEL ALARMING APPLICATIONS

APPLICATIONS: HYDRAULIC ELEVATOR SIMPLEX SUMP PUMP

STANDARD FEATURES:

- Type 4X polycarbonate enclosure
- Visual/audible alarm indication with silencing
- Simple relay logic controls
- General alarm remote monitoring dry contact
- Color coded wiring
- Easy to access field terminals
- UL 508a listed

SENSOR TYPE: FLOAT (Included)

STANDARD FEATURES:

- TYPE 4X POLYCARBONATE ENCLOSURE
- VISUAL/AUDIBLE ALARM INDICATION WITH SILENCING
- SIMPLE RELAY LOGIC CONTROLS
- 10MM PUMP RUN HOA TOGGLE SWITCHES
- 10MM NEON INDICATOR LIGHTS
- GENERAL ALARM REMOTE MONITORING DRY CONTACT
- EASY TO ACCESS FIELD TERMINALS
- UL 508A LISTED
- OPTIONAL DEAD FRONT CONSTRUCTION
- **SENSOR TYPE:** COMBO OIL/WATER LEVEL SENSOR (Included with Panel)

PRICES: Effective in USA ONLY and subject to change without notice.

Grundfos PIP
SUMP - SEWAGE - EFFLUENT

GRUNDFOS PUMPS PRICE LIST
 EFFECTIVE DATE: May 15, 2021

PN	MODEL	HP	Voltage	FLA	Mat. Price	LIST
					Group	PRICE
						USD

Grundfos PIP 1/2 HP 2" NPT Discharge Sump/Sewage/Effluent

99338175	PIP512L	1/2 HP	1x120V	12.6	8A	\$1,688
99338176	PIP522L	1/2 HP	1x240V	6	8A	\$1,770
99338177	PIP592L	1/2 HP	3x200-240V	5.8/5.3	8A	\$1,822
99338178	PIP542L	1/2 HP	3x480V	2.6	8A	\$1,822
99338179	PIP552L	1/2 HP	3x600V	2.1	8A	\$1,822

Grundfos PIP 1 HP 2" NPT Discharge Sump/Sewage/Effluent

99338180	PIP1022L	1HP	1x240V	10.7	8A	\$2,101
99338181	PIP1092L	1HP	3x200-240V	7.9/7.5	8A	\$2,307
99338182	PIP1042L	1HP	3x480V	3.7	8A	\$2,307
99338183	PIP1052L	1HP	3x600V	2.9	8A	\$2,307

Grundfos PIP 1-1/2 HP 2" NPT Discharge Sump/Sewage/Effluent

99338184	PIP1522L	1-1/2 HP	1x240V	13.5	8A	\$2,327
99338185	PIP1592L	1-1/2 HP	3x200-240V	10.8/9.8	8A	\$2,396
99338186	PIP1542L	1-1/2 HP	3x480V	4.9	8A	\$2,396
99338187	PIP1552L	1-1/2 HP	3x600V	3.9	8A	\$2,396

Grundfos PIP 2 HP 2" NPT Discharge Sump/Sewage/Effluent

99338189	PIP2022L	2HP	1x240V	16	8A	\$2,445
99338190	PIP2092L	2HP	3x200-240V	13.2/12.0	8A	\$2,497
99338191	PIP2042L	2HP	3x480V	6	8A	\$2,497
99338192	PIP2052L	2HP	3x600V	4.8	8A	\$2,497

All Grundfos PIP models are 3450 rpm, have 2" NPT discharge, and include a 20' length line cord

TPE SERIES 1000
INTEGRATED VARIABLE SPEED DRIVE

GRUNDFOS PUMPS PRICE LIST
 EFFECTIVE DATE: May 15, 2021

Cast Iron Body, electronically controlled, direct coupled circulators

MODEL	MAX Hp	FLANGE MOUNT	VOLTAGE	SHIP. WT. (LBS.)	BUBE	PUMP & MOTOR		MLE		DOE PEI _{VL}	IMPELLER DIAMETER (INCHES)
						LIST PRICE	MLE	LIST PRICE			
						USD	Motor	USD			
TPE40-240/2	1-1/2	GF40/43	3 x 200-240V	92	99430129	\$5,609	91150528	\$2,322		0.43	3.86
TPE50-160/2	1-1/2	GF50	3 x 200-240V	101	99430143	\$5,844	91150528	\$2,322		0.41	3.43
TPE50-240/2	2	GF50	3 x 200-240V	103	99430146	\$6,094	91150529	\$2,517		0.41	3.95
TPE80-160/2	3	GF80	3 x 200-240V	141	99430148	\$6,374	91150530	\$2,914		0.41	3.56
TPE80-240/2	3	GF80	3 x 200-240V	138	99430149	\$7,286	91150530	\$2,914		0.41	4.00
TPE100-160/2	3	GF100	3 x 200-240V	166	99430150	\$6,884	91150530	\$2,914		0.43	3.72

Sensor is required for controlling pump.

NOTE: Pumps are supplied with tungsten carbide/carbon seals (BUBE).

****Optional seals are available for handling glycol mixtures (RUUE). Please contact customer service.**

TPE SERIES 1000

INTEGRATED VARIABLE SPEED DRIVE

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

Bronze Body, electronically controlled, direct coupled circulators

						PUMP & MOTOR		MLE		IMPELLER	
	MAX	FLANGE		SHIP. WT.		LIST PRICE		MLE	LIST PRICE	DOE	DIAMETER
MODEL	Hp	MOUNT	VOLTAGE	(LBS.)	BUBE	USD	Motor	USD	PEI _{VL}	(INCHES)	
TPE40-240/2	1-1/2	GF40/43	3 x 200-240V	102	99430168	\$8,501	91150528	\$2,322	0.43	3.86	
TPE50-160/2	1-1/2	GF50	3 x 200-240V	110	99430169	\$9,181	91150528	\$2,322	0.41	3.43	
TPE50-240/2	2	GF50	3 x 200-240V	102	99430171	\$9,913	91150529	\$2,517	0.41	3.95	
TPE80-160/2	3	GF80	3 x 200-240V	152	99430172	\$10,157	91150530	\$2,914	0.41	3.56	
TPE80-240/2	3	GF80	3 x 200-240V	154	99430193	\$11,451	91150530	\$2,914	0.41	4.00	
TPE100-160/2	3	GF100	3 x 200-240V	185	99430195	\$10,655	91150530	\$2,914	0.43	3.72	

Sensor is required for controlling pump.

NOTE: Pumps are supplied with tungsten carbide/carbon seals (BUBE).

**Optional seals are available for handling glycol mixtures (RUUE). Please contact customer service.

TPE SERIES 2000

INTEGRATED VARIABLE SPEED DRIVE

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

Cast Iron Body, electronically controlled, direct coupled
circulators with differential pressure sensor

MODEL	MAX Hp	FLANGE MOUNT	VOLTAGE	SHIP. WT. (LBS.)	BUBE	PUMP & MOTOR		MLE		DOE PEI _{VL}	IMPELLER DIAMETER (INCHES)
						LIST PRICE	MLE	LIST PRICE			
						USD	Motor	USD			
TPE40-240/2	1-1/2	GF40/43	3 x 200-240V	98	99430151	\$6,392	91150527	\$2,322		0.43	3.86
TPE50-160/2	1-1/2	GF50	3 x 200-240V	102	99430152	\$6,627	91150535	\$2,322		0.41	3.43
TPE50-240/2	2	GF50	3 x 200-240V	104	99430163	\$6,878	91150531	\$2,517		0.41	3.95
TPE80-160/2	3	GF80	3 x 200-240V	142	99430164	\$7,157	91150532	\$2,914		0.41	3.56
TPE80-240/2	3	GF80	3 x 200-240V	139	99430165	\$8,069	91150534	\$2,914		0.41	4.00
TPE100-160/2	3	GF100	3 x 200-240V	162	99430167	\$7,667	91150533	\$2,914		0.43	3.72

Sensor is required for controlling pump.

NOTE: Pumps are supplied with tungsten carbide/carbon seals (BUBE).

**Optional seals are available for handling glycol mixtures (RUUE). Please contact customer service.

TPE SERIES 2000
INTEGRATED VARIABLE SPEED DRIVE

GRUNDFOS PUMPS PRICE LIST
 EFFECTIVE DATE: May 15, 2021

Bronze Body, electronically controlled, direct coupled circulators with differential pressure sensor

MODEL	MAX Hp	FLANGE MOUNT	VOLTAGE	SHIP. WT. (LBS.)	BUBE	PUMP & MOTOR	MLE Motor	MLE LIST PRICE USD	DOE PEI _{VL}	IMPELLER DIAMETER (INCHES)
						LIST PRICE USD				
TPE40-240/2	1-1/2	GF40/43	3 x 200-240V	103	99430196	\$9,286	91150527	\$2,322	0.43	3.86
TPE50-160/2	1-1/2	GF50	3 x 200-240V	111	99430197	\$9,966	91150535	\$2,322	0.41	3.43
TPE50-240/2	2	GF50	3 x 200-240V	108	99430198	\$10,698	91150531	\$2,517	0.41	3.95
TPE80-160/2	3	GF80	3 x 200-240V	158	99430199	\$10,940	91150532	\$2,914	0.41	3.56
TPE80-240/2	3	GF80	3 x 200-240V	155	99430201	\$12,236	91150534	\$2,914	0.41	4.00
TPE100-160/2	3	GF100	3 x 200-240V	186	99430202	\$11,440	91150533	\$2,914	0.43	3.72

Sensor is required for controlling pump.

NOTE: Pumps are supplied with tungsten carbide/carbon seals (BUBE).

* 3/4 HP 460-480 volt MLE motor is not available.

**Optional seals are available for handling glycol mixtures (RUUE). Please contact customer service.

TP
DIRECT COUPLED CIRCULATORS

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

Cast Iron Body

MAX		FLANGE	SHIP. WT.			LIST PRICE	DOE	DIAMETER
MODEL	Hp	MOUNT	VOLTAGE	(LBS.)	BUBE	USD	PEI _{CL}	(INCHES)
TP32-40/4	1/3	GF15/26	Cast Iron, 1 x 115/208-230V	54	96411778	\$2,497	Out of Scope	3.39
			Cast Iron, 3 x 208-230/460V	53	96411779	\$2,408	Out of Scope	3.39
TP32-80/2	1/2		Cast Iron, 1 x 115/208-230V	58	96411782	\$2,566	Out of Scope	2.52
			Cast Iron, 3 x 208-230/460V	57	96411783	\$2,476	Out of Scope	2.52
TP32-160/2	3/4	GF40/43	Cast Iron, 1 x 115/208-230V	60	96411786	\$3,167	Out of Scope	3.31
			Cast Iron, 3 x 208-230/460V	59	96411787	\$3,060	Out of Scope	3.31
TP40-40/4	1/3		Cast Iron, 1 x 115/208-230V	60	96411790	\$2,884	Out of Scope	3.43
			Cast Iron, 3 x 208-230/460V	59	96411791	\$2,800	Out of Scope	3.43
TP40-80/2	3/4		Cast Iron, 1 x 115/208-230V	61	96411794	\$3,130	Out of Scope	2.74
			Cast Iron, 3 x 208-230/460V	60	96411795	\$3,025	Out of Scope	2.74
TP40-160/2	3/4		Cast Iron, 1 x 115/208-230V	60	96411798	\$3,933	Out of Scope	3.39
			Cast Iron, 3 x 208-230/460V	59	96411799	\$3,827	Out of Scope	3.39
TP40-240/2	1-1/2		Cast Iron, 1 x 115/208-230V	64	96411802	\$4,505	0.86	3.86
			Cast Iron, 3 x 208-230/460V	63	96411803	\$4,330	0.86	3.86
TP50-40/4	1/3	GF50	Cast Iron, 1 x 115/208-230V	60	96411806	\$2,636	Out of Scope	3.56
			Cast Iron, 3 x 208-230/460V	59	96411807	\$2,549	Out of Scope	3.56
TP50-80/2	3/4		Cast Iron, 1 x 115/208-230V	64	96411810	\$3,041	Out of Scope	2.91
			Cast Iron, 3 x 208-230/460V	63	96411811	\$2,935	Out of Scope	2.91
TP50-160/2	1-1/2		Cast Iron, 1 x 115/208-230V	74	96411814	\$4,746	0.91	3.43
			Cast Iron, 3 x 208-230/460V	73	96411815	\$4,576	0.91	3.43
TP50-240/2	2		Cast Iron, 1 x 115/208-230V	79	96411818	\$4,939	0.91	3.95
			Cast Iron, 3 x 208-230/460V	78	96411819	\$4,673	0.91	3.95
TP80-40/4	1/2	GF80	Cast Iron, 1 x 115/208-230V	130	96411823	\$4,131	Out of Scope	3.72
			Cast Iron, 3 x 208-230/460V	129	96411824	\$3,999	Out of Scope	3.72
TP80-80/4	1-1/2		Cast Iron, 1 x 115/208-230V	134	96411827	\$4,628	0.93	5.03
			Cast Iron, 3 x 208-230/460V	133	96411828	\$4,475	0.93	5.03
TP80-160/2	3		Cast Iron, 1 x 115/208-230V	161	96411831	\$4,975	0.89	3.56
			Cast Iron, 3 x 208-230/460V	160	96411832	\$4,278	0.89	3.56
TP80-240/2	3		Cast Iron, 1 x 115/208-230V	160	96411836	\$6,627	0.89	4
			Cast Iron, 3 x 208-230/460V	159	96411839	\$5,940	0.89	4
TP100-40/4	1	GF100	Cast Iron, 1 x 115/208-230V	154	96411842	\$6,045	Out of Scope	4.09
			Cast Iron, 3 x 208-230/460V	153	96411843	\$8,282	Out of Scope	4.09
TP100-80/4	2		Cast Iron, 1 x 115/208-230V	166	96411846	\$6,694	0.94	5.23
			Cast Iron, 3 x 208-230/460V	165	96411847	\$5,694	0.94	5.23
TP100-160/2	3		Cast Iron, 1 x 115/208-230V	181	96411850	\$6,694	0.89	3.72
			Cast Iron, 3 x 208-230/460V	180	96411851	\$5,940	0.89	3.72

NOTE: Pumps are supplied with tungsten carbide/carbon seals (BUBE).

**Optional seals are available for handling glycol mixtures (RUUE). Please contact customer service.

TP

DIRECT COUPLED CIRCULATORS

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

Bronze Body

	MAX	FLANGE	SHIP. WT.			LIST PRICE	DOE	DIAMETER
MODEL	Hp	MOUNT	VOLTAGE	(LBS.)	BUBE	USD	PEI _{CL}	(INCHES)
TP32-40/4	1/3	GF15/26	Bronze, 1 x 115/208-230V	58	96411780	\$3,913	Out of Scope	3.39
			Bronze, 3 x 208-230/460V	58	96411781	\$3,822	Out of Scope	3.39
TP32-80/2	1/2		Bronze, 1 x 115/208-230V	55	96411784	\$3,943	Out of Scope	2.52
			Bronze, 3 x 208-230/460V	55	96411785	\$3,933	Out of Scope	2.52
TP32-160/2	3/4	GF40/43	Bronze, 1 x 115/208-230V	62	96411788	\$5,167	Out of Scope	3.31
			Bronze, 3 x 208-230/460V	51	96411789	\$5,055	Out of Scope	3.31
TP40-40/4	1/3		Bronze, 1 x 115/208-230V	62	96411792	\$4,793	Out of Scope	3.43
			Bronze, 3 x 208-230/460V	62	96411793	\$4,702	Out of Scope	3.43
TP40-80/2	3/4		Bronze, 1 x 115/208-230V	59	96411796	\$4,960	Out of Scope	2.74
			Bronze, 3 x 208-230/460V	59	96411797	\$4,848	Out of Scope	2.74
TP40-160/2	3/4		Bronze, 1 x 115/208-230V	73	96411800	\$6,295	Out of Scope	3.39
			Bronze, 3 x 208-230/460V	75	96411801	\$6,183	Out of Scope	3.39
TP40-240/2	1-1/2		Bronze, 1 x 115/208-230V	79	96411804	\$7,492	0.86	3.86
			Bronze, 3 x 208-230/460V	66	96411805	\$7,307	0.86	3.86
TP50-40/4	1/3	GF50	Bronze, 1 x 115/208-230V	54	96411808	\$4,619	Out of Scope	3.56
			Bronze, 3 x 208-230/460V	54	96411809	\$4,527	Out of Scope	3.56
TP50-80/2	3/4		Bronze, 1 x 115/208-230V	64	96411812	\$4,988	Out of Scope	2.91
			Bronze, 3 x 208-230/460V	53	96411813	\$4,884	Out of Scope	2.91
TP50-160/2	1-1/2		Bronze, 1 x 115/208-230V	93	96411816	\$8,189	0.91	3.43
			Bronze, 3 x 208-230/460V	80	96411817	\$8,008	0.91	3.43
TP50-240/2	2		Bronze, 1 x 115/208-230V	106	96411820	\$8,884	0.91	3.95
			Bronze, 3 x 208-230/460V	96	96411821	\$8,596	0.91	3.95
TP80-40/4	1/2	GF80	Bronze, 1 x 115/208-230V	128	96411825	\$8,073	Out of Scope	3.72
			Bronze, 3 x 208-230/460V	116	96411826	\$7,941	Out of Scope	3.72
TP80-80/4	1-1/2		Bronze, 1 x 115/208-230V	141	96411829	\$8,380	0.93	5.03
			Bronze, 3 x 208-230/460V	118	96411830	\$8,264	0.93	5.03
TP80-160/2	3		Bronze, 1 x 115/208-230V	153	96411833	\$9,625	0.89	3.56
			Bronze, 3 x 208-230/460V	133	96411834	\$8,901	0.89	3.56
TP80-240/2	3		Bronze, 1 x 115/208-230V	151	96411840	\$10,961	0.89	4
			Bronze, 3 x 208-230/460V	131	96411841	\$10,229	0.89	4
TP100-40/4	1	GF100	Bronze, 1 x 115/208-230V	173	96411844	\$7,158	Out of Scope	4.09
			Bronze, 3 x 208-230/460V	158	96411845	\$7,126	Out of Scope	4.09
TP100-80/4	2		Bronze, 1 x 115/208-230V	187	96411848	\$9,677	0.94	5.23
			Bronze, 3 x 208-230/460V	165	96411849	\$8,627	0.94	5.23
TP100-160/2	3		Bronze, 1 x 115/208-230V	205	96411852	\$10,137	0.89	3.72
			Bronze, 3 x 208-230/460V	194	96411853	\$9,409	0.89	3.72

NOTE: Pumps are supplied with tungsten carbide/carbon seals (BUBE).

**Optional seals are available for handling glycol mixtures (RUUE). Please contact customer service.

TP
DIRECT COUPLED CIRCULATORS

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

PUMP END ONLY

	MAX	FLANGE			SHIP. WT.	CAST	LIST PRICE		LIST PRICE	DOE	DIAMETER
MODEL	Hp	MOUNT	RPM	(LBS.)	IRON	USD	BRONZE	USD	PEI _{CL}	(INCHES)	
TP32-40/4	1/3	GF15/26	1750	36	91122103	\$1,869	91122121	\$3,283	Out of Scope	3.39	
TP32-80/2	1/2		3450	35	91122104	\$2,081	91122122	\$3,458	Out of Scope	2.52	
TP32-160/2	3/4	GF40/43	3450	34	91122105	\$2,548	91122123	\$4,548	Out of Scope	3.31	
TP40-40/4	1/3		1750	40	91122106	\$2,255	91122124	\$4,164	Out of Scope	3.43	
TP40-80/2	3/4		3450	36	91122107	\$2,513	91122125	\$4,340	Out of Scope	2.74	
TP40-160/2	3/4		3450	45	91122108	\$3,315	91122126	\$5,674	Out of Scope	3.39	
TP40-240/2	1-1/2		3450	47	91122109	\$3,495	91122127	\$6,484	0.86	3.86	
TP50-40/4	1/3	GF50	1750	46	91122110	\$2,006	91122128	\$3,989	Out of Scope	3.56	
TP50-80/2	3/4		3450	51	91122111	\$2,427	91122129	\$4,375	Out of Scope	2.91	
TP50-160/2	1-1/2		3450	53	91122112	\$3,742	91122130	\$7,185	0.91	3.43	
TP50-240/2	2		3450	52	91122113	\$3,763	91122131	\$7,711	0.91	3.95	
TP80-40/4	1/2	GF80	1750	93	91122114	\$3,432	91122132	\$7,377	Out of Scope	3.72	
TP80-80/4	1-1/2		1750	89	91122115	\$3,522	91122133	\$7,273	0.93	5.03	
TP80-160/2	3		3450	86	91122116	\$3,408	91122134	\$8,059	0.89	3.56	
TP80-240/2	3		3450	83	91122117	\$5,059	91122135	\$9,394	0.88	4	
TP100-40/4	1	GF80	1750	124	91122118	\$7,244	91122136	\$8,058	Out of Scope	4.09	
TP100-80/4	2		1750	126	91122119	\$5,075	91122137	\$8,058	0.94	5.23	
TP100-160/2	3		3450	111	91122120	\$5,126	91122138	\$8,570	0.89	3.72	

NOTE: Pumps are supplied with tungsten carbide/carbon seals (BUBE).
Optional seals are available for handling abrasives (AUUE) or glycol mixtures (RUUE).
Please contact customer service.

TPE3

INTEGRATED VARIABLE SPEED DRIVE

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

Cast Iron Body, electronically controlled, direct coupled circulators
with differential pressure sensor

with differential pressure sensor						PUMP & MOTOR					MLE		Impeller
MODEL	MAX Hp	FLANGE MOUNT	VOLTAGE	SHIP. WT. (LBS.)	BQQE	LIST PRICE USD	MLE Motor	LIST PRICE USD	DOE PEI _{VL}	Diameter (Inches)			
TPE3 40-80	1/3	GF15/26 & GF40/43	1 x 200-240V	62	98819499	\$3,843	91150700	\$1,630	-	2.91			
			3 x 440-480V	66	98819536	\$4,163	91150721	\$2,024	-	2.91			
TPE3 40-120	1/2		1 x 200-240V	62	98819500	\$4,272	91150702	\$1,681	-	2.91			
			3 x 440-480V	66	98819537	\$4,600	91150723	\$2,053	-	2.91			
TPE3 40-150	3/4		1 x 200-240V	62	98819501	\$4,529	91150704	\$1,801	-	2.91			
	1 1/2		3 x 200-240V	68	99836276	\$4,807	91150715	\$2,150	-	2.91			
	3/4		3 x 440-480V	66	98819538	\$4,807	91150725	\$2,107	-	2.91			
TPE3 40-180	1		1 x 200-240V	62	98819502	\$6,148	91150706	\$1,915	-	2.91			
			3 x 440-480V	67	98819539	\$6,413	91150727	\$2,179	-	2.91			
TPE3 40-200	1 1/2		1 x 200-240V	62	98819503	\$6,367	91150709	\$2,101	-	2.91			
			3 x 440-480V	67	98819540	\$6,599	91150730	\$2,313	-	2.91			
TPE3 40-240	2		1 x 200-240V	66	98819504	\$6,852	91150712	\$2,292	-	2.91			
			3 x 440-480V	63	98819541	\$7,072	91150733	\$2,507	-	2.91			
TPE3 50-80	1/2	GF 53 (*)	1 x 200-240V	73	98819591	\$5,437	91150703	\$1,681	-	2.91			
			3 x 440-480V	76	98819626	\$5,763	91150724	\$2,053	-	2.91			
TPE3 50-150	1		1 x 200-240V	73	98819593	\$6,022	91150707	\$1,915	-	2.91			
	1 1/2		3 x 200-240V	78	99836277	\$6,221	91150716	\$2,150	-	2.91			
	1		3 x 440-480V	76	98819628	\$6,221	91150728	\$2,179	-	2.91			
TPE3 50-200	2		1 x 200-240V	76	98819595	\$6,797	91150713	\$2,292	-	2.91			
			3 x 440-480V	80	98819630	\$7,016	91150734	\$2,507	-	2.91			
TPE3 50-240	3		3 x 440-480V	82	98819631	\$7,463	91150736	\$2,903	-	2.91			

* Excluding 3" Flange

TPE3
INTEGRATED VARIABLE SPEED DRIVE

GRUNDFOS PUMPS PRICE LIST
 EFFECTIVE DATE: May 15, 2021

**Cast Iron Body, electronically controlled, direct coupled circulators
 with differential pressure sensor**

with differential pressure sensor						PUMP & MOTOR		MLE		Impeller
	MAX	FLANGE		SHIP. WT.		LIST PRICE	MLE	LIST PRICE	DOE	Diameter
MODEL	Hp	MOUNT	VOLTAGE	(LBS.)	BQQE	USD	Motor	USD	PEI _{VL}	(Inches)
TPE3 65-80	3/4	GF 65	1 x 200-240V	81	98819667	\$6,640	91150705	\$1,801	-	3.07
			3 x 440-480V	85	98819710	\$6,907	91150726	\$2,107	-	3.07
TPE3 65-120	1		1 x 200-240V	81	98819668	\$7,092	91150708	\$1,915	0.39	3.07
			3 x 440-480V	85	98819711	\$7,283	91150729	\$2,179	0.38	3.07
TPE3 65-150	1 1/2		1 x 200-240V	83	98819682	\$7,471	91150710	\$2,101	0.36	3.07
			3 x 200-240V	87	99836278	\$7,622	91150717	\$2,150	0.36	3.07
			3 x 440-480V	86	98819712	\$7,622	91150731	\$2,313	0.39	3.07
TPE3 80-40	1/3	GF 80	1 x 200-240V	94	98819743	\$5,963	91150701	\$1,766	-	3.54
			3 x 440-480V	97	98819748	\$6,210	91150722	\$2,192	-	3.54
TPE3 80-110	1 1/2		3 x 200-240V	99	99836279	\$7,641	91150718	\$2,150	0.40	3.54
TPE3 80-120	1 1/2		1 x 200-240V	95	98819756	\$7,489	91150711	\$2,101	0.43	3.54
			3 x 440-480V	99	98819749	\$7,641	91150732	\$2,313	0.42	3.54
TPE3 80-150	2		1 x 200-240V	99	98819757	\$7,902	91150714	\$2,292	0.42	3.54
			3 x 200-240V	103	99836280	\$8,059	91150719	\$2,332	0.40	3.54
			3 x 440-480V	103	98819750	\$8,059	91150735	\$2,507	0.42	3.54
TPE3 80-180	3		3 x 200-240V	126	99836281	\$8,643	91150720	\$2,700	0.36	3.54
			3 x 440-480V	106	98819751	\$8,643	91150737	\$2,903	0.38	3.54

TPE3

INTEGRATED VARIABLE SPEED DRIVE

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

**Stainless Steel Body, electronically controlled, direct coupled circulators
with differential pressure sensor**

with differential pressure sensor						PUMP & MOTOR		MLE		Impeller
MODEL	MAX Hp	FLANGE MOUNT	VOLTAGE	SHIP. WT. (LBS.)	BQQE	LIST PRICE USD	MLE Motor	LIST PRICE USD	DOE PEI _{VL}	Diameter (Inches)
TPE3 40-80	1/3	GF15/26 & GF40/43	1 x 200-240V	62	98819518	\$5,879	91150700	\$1,630	-	2.91
			3 x 440-480V	67	98819564	\$6,199	91150721	\$2,024	-	2.91
TPE3 40-120	1/2		1 x 200-240V	62	98819519	\$6,608	91150702	\$1,681	-	2.91
			3 x 440-480V	67	98819565	\$6,935	91150723	\$2,053	-	2.91
TPE3 40-150	3/4		1 x 200-240V	62	98819520	\$6,990	91150704	\$1,801	-	2.91
	1 1/2		3 x 200-240V	68	99884114	\$7,267	91150715	\$2,150	-	2.91
	3/4		3 x 440-480V	67	98819566	\$7,267	91150725	\$2,107	-	2.91
TPE3 40-180	1		1 x 200-240V	62	98819521	\$9,526	91150706	\$1,915	-	2.91
			3 x 440-480V	67	98819567	\$9,792	91150727	\$2,179	-	2.91
TPE3 40-200	1 1/2		1 x 200-240V	62	98819522	\$9,950	91150709	\$2,101	-	2.91
			3 x 440-480V	67	98819568	\$10,182	91150730	\$2,313	-	2.91
TPE3 40-240	2		1 x 200-240V	66	98819523	\$10,680	91150712	\$2,292	-	2.91
			3 x 440-480V	64	98819569	\$10,899	91150733	\$2,507	-	2.91
TPE3 50-80	1/2	GF 53 (^{*)})	1 x 200-240V	73	98819610	\$7,944	91150703	\$1,681	-	2.91
			3 x 440-480V	77	98819647	\$8,272	91150724	\$2,053	-	2.91
TPE3 50-150	1		1 x 200-240V	73	98819612	\$9,335	91150707	\$1,915	-	2.91
	1.5		3 x 200-240V	79	99884115	\$9,534	91150716	\$2,150	-	2.91
	1		3 x 440-480V	77	98819649	\$9,534	91150728	\$2,179	-	2.91
TPE3 50-200	2		1 x 200-240V	77	98819614	\$10,434	91150713	\$2,292	-	2.91
			3 x 440-480V	81	98819651	\$10,653	91150734	\$2,507	-	2.91
TPE3 50-240	3		3 x 440-480V	83	98819652	\$11,372	91150736	\$2,903	-	2.91

* Excluding 3" Flange

TPE3

INTEGRATED VARIABLE SPEED DRIVE

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

**Stainless Steel Body, electronically controlled, direct coupled circulators
with differential pressure sensor**

with differential pressure sensor						PUMP & MOTOR					MLE		Impeller
MODEL	MAX Hp	FLANGE MOUNT	VOLTAGE	SHIP. WT. (LBS.)	BQQE	LIST PRICE USD	MLE Motor	LIST PRICE USD	DOE PEI _{vL}	Diameter (Inches)			
TPE3 65-80	3/4	GF 65	1 x 200-240V	83	98819695	\$10,389	91150705	\$1,801	-	3.07			
			3 x 440-480V	86	98819729	\$10,655	91150726	\$2,107	-	3.07			
TPE3 65-120	1		1 x 200-240V	83	98819696	\$10,983	91150708	\$1,915	0.39	3.07			
			3 x 440-480V	86	98819730	\$11,174	91150729	\$2,179	0.38	3.07			
TPE3 65-150	1 1/2		1 x 200-240V	84	98819697	\$11,593	91150710	\$2,101	0.36	3.07			
			3 x 200-240V	88	99884116	\$11,745	91150717	\$2,150	0.36	3.07			
			3 x 440-480V	88	98819731	\$11,745	91150731	\$2,313	0.39	3.07			
TPE3 80-40	1/3		1 x 200-240V	82	98819903	\$9,210	91150701	\$1,766	-	3.54			
			3 x 440-480V	85	98819908	\$9,455	91150722	\$2,192	-	3.54			
TPE3 80-110	1 1/2		3 x 200-240V	87	99884117	\$11,757	91150718	\$2,150	0.40	3.54			
TPE3 80-120	1 1/2		1 x 200-240V	83	98819916	\$11,606	91150711	\$2,101	0.43	3.54			
			3 x 440-480V	87	98819909	\$11,757	91150732	\$2,313	0.42	3.54			
TPE3 80-150	2		1 x 200-240V	87	98819917	\$12,264	91150714	\$2,292	0.42	3.54			
			3 x 200-240V	91	99884118	\$12,420	91150719	\$2,332	0.40	3.54			
			3 x 440-480V	91	98819910	\$12,420	91150735	\$2,507	0.42	3.54			
TPE3 80-180	3		3 x 200-240V	94	99884119	\$13,327	91150720	\$2,700	0.36	3.54			
			3 x 440-480V	94	98819911	\$13,327	91150737	\$2,903	0.38	3.54			

TPE3D
INTEGRATED VARIABLE SPEED DRIVE

GRUNDFOS PUMPS PRICE LIST
 EFFECTIVE DATE: May 15, 2021

**Cast Iron Body, electronically controlled, twin-head, direct coupled circulators
 with differential pressure sensor**

with differential pressure sensor						PUMP & MOTOR		MLE		Impeller	
	MAX	FLANGE		SHIP. WT.		LIST PRICE	MLE	MLE	LIST PRICE	DOE	
MODEL	Hp	MOUNT		(LBS.)	BQQE	USD	#1 Motor	#2 Motor	USD	PEI _{VL}	Diameter (Inches)
TPE3 D 65-80	3/4	GF 65	1 x 200-240V	147	98819795	\$11,157	91150739	91150756	\$1,801	-	3.07
			3 x 440-480V	155	98819847	\$11,424	91150749	91150766	\$2,107	-	3.07
TPE3 D 65-120	1		1 x 200-240V	147	98819796	\$12,004	91150740	91150757	\$1,915	0.39	3.07
			3 x 440-480V	155	98819848	\$12,195	91150750	91150767	\$2,179	0.38	3.07
TPE3 D 65-150	1 1/2		1 x 200-240V	151	98819797	\$12,734	91150741	91150758	\$2,101	0.36	3.07
			3 x 200-240V	158	99849240	\$12,886	91150744	91150761	\$2,150	0.36	3.07
			3 x 440-480V	158	98819849	\$12,886	91150751	91150768	\$2,313	0.39	3.07
TPE3 D 80-40	1/3	GF 80	1 x 200-240V	163	98819799	\$9,931	91150738	91150755	\$1,766	-	3.54
			3 x 440-480V	170	98819852	\$10,178	91150748	91150765	\$2,192	-	3.54
TPE3 D 80-110	1 1/2		3 x 200-240V	195	99884124	\$12,989	91150745	91150762	\$2,150	0.40	3.54
TPE3 D 80-120	1 1/2		1 x 200-240V	166	98819800	\$12,836	91150742	91150759	\$2,101	0.43	3.54
			3 x 440-480V	174	98819853	\$12,989	91150752	91150769	\$2,313	0.42	3.54
TPE3 D 80-150	2		1 x 200-240V	174	98819801	\$13,626	91150743	91150760	\$2,292	0.42	3.54
			3 x 200-240V	203	99849735	\$13,782	91150746	91150763	\$2,332	0.40	3.54
			3 x 440-480V	181	98819854	\$13,782	91150753	91150770	\$2,507	0.42	3.54
TPE3 D 80-180	3		3 x 200-240V	250	99849733	\$15,065	91150747	91150764	\$2,700	0.36	3.54
		3 x 440-480V	188	98819855	\$15,065	91150754	91150771	\$2,903	0.38	3.54	

Sensors
Pressure - MBS3000
Temperature - MBT 3270

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

Danfoss Pressure Sensor Service Kit

The Danfoss MBS3000 pressure transmitter kit is available in 6 pressure ranges.

TYPE	RANGE	MAXIMUM SYSTEM PRESSURE	SHIP. WT. (LBS.)	MATERIAL NUMBER	LIST PRICE (\$)
MBS3000	0-87 psi	300 psi	1	91136169	\$373
MBS3000	0-145 psi	300 psi	1	91136170	\$373
MBS3000	0-232 psi	750 psi	1	91136171	\$373
MBS3000	0-362 psi	1450 psi	1	91136172	\$373
MBS3000	0-580 psi	2900 psi	1	91136173	\$373
MBS3000	0-870 psi	2900 psi	1	91136174	\$373

Pressure transmitter with 6ft screened cable and 1/4" NPT

Maximum System Pressure	300-2900 psi
Power Supply	9-32 Volts DC
Output Signal	4-20 mA
Liquid Temperature	-40F to 185F
Ambient Temperature	-40F to 185F
Enclosure Class	IP65
Wetted Parts , Material	AISI 316L



Danfoss Temperature Sensor Service Kit

A Danfoss MBT 3270

TYPE	RANGE	MAXIMUM SYSTEM PRESSURE	SHIP. WT. (LBS.)	MATERIAL NUMBER	LIST PRICE (\$)
MBT3270	- 58F to 392F	1160 psi	1	99501120	\$136

Temperature sensor with 6.5ft cable and 1/2"G thread (For CR(I/N) pumps) EPDM and FKM

Maximum System Pressure	1160 psi
Output Signal	PT100 Class B - Two wire
Liquid Temperature	- 58F to 392F
Ambient Temperature	-22F to 185F
Enclosure Class	IP65
Wetted Parts , Material	AISI 316L



Sensors

Grundfos LiqTec

Pressure Switch - PS41


GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

Grundfos LiqTec

Power Supply	RANGE	MAXIMUM SYSTEM PRESSURE	SHIP. WT. (LBS.)	MATERIAL NUMBER
1/60/120	-	580 psi	7	96556430
1/60/200-240	-	580 psi	3	96556429

LiqTec box is to be mounted in a cabinet.

LiqTec sensor with 16.4ft cable and 1/2"G thread (For CR(I/N)E pumps) EPDM and F



Accessories	SHIP. WT. (LBS>)	MATERIAL NUMBER
LiqTec Sensor and 16.4 ft cable	1	99337830
Extension cable 49.2 ft	2	96443676

Maximum cable length 65.6ft

Maximum System Pressure	580 psi
Power Supply	1/60/120 or 1/60/200-240
Liquid Temperature	266 F Maximum
Ambient Temperature	131 F Maximum
Enclosure Class - Sensor	IP 68
Wetted Parts , Material	AISI 316L

GEMS Inlet Pressure Switch Service Kit

A GEMS PS41 series pressure switch

TYPE	RANGE	MAXIMUM SYSTEM PRESSURE	SHIP. WT. (LBS.)	MATERIAL NUMBER
PS41	3 psi Falling	350 psi	1	91136184

Inlet pressure switch with 6ft cable and 1/4" NPTM

Maximum System Pressure	350 psi
Liquid Temperature	14F to 176F
Enclosure Class	NEMA 4
Wetted Parts , Material	AISI 316



Industrial Vortex Flow Transmitter Type VFI

The VFI (Vortex Flow Industry) is an industrial vortex flow transmitter.

The VFI is available in 8 flow ranges with three types of pipe connections



VFI Type	Flow range	Connection	Elastomer	Materials	Material Number	List Price
VFI 0.3-6	1.3 - 26 gpm	Flange 1 1/4"	EPDM	Cast iron	97686127	\$1,325
VFI 0.3-6	1.3 - 26 gpm	Flange 1 1/4"	FKM	Cast iron	97686128	\$1,325
VFI 0.3-6	1.3 - 26 gpm	NPT 1 1/4"	EPDM	Stainless	98126402	\$1,055
VFI 0.3-6	1.3 - 26 gpm	Flange 1 1/4"	EPDM	Stainless 316	97688293	\$1,605
VFI 0.3-6	1.3 - 26 gpm	Flange 1 1/4"	FKM	Stainless 316	97688294	\$1,605
VFI 0.3 - 6	1.3 - 26 gpm	NPT 1 1/4"	FKM	Stainless	98126454	\$1,055
VFI 0.6 - 12	2.6 - 53 gpm	Flange 1 1/4"	EPDM	Cast iron	97686129	\$1,524
VFI 0.6 - 12	2.6 - 53 gpm	NPT 1 1/4"	EPDM	Stainless	98126403	\$1,217
VFI 0.6 - 12	2.6 - 53 gpm	Flange 1 1/4"	FKM	Cast iron	97686130	\$1,524
VFI 0.6-12	2.6 - 53 gpm	Flange 1 1/4"	EPDM	Stainless 316	97688295	\$1,827
VFI 0.6 - 12	2.6 - 53 gpm	Flange 1 1/4"	FKM	Stainless 316	97688296	\$1,827
VFI 0.6 - 12	2.6 - 53 gpm	NPT 1 1/4"	FKM	Stainless	98126455	\$1,217
VFI 1.3 - 25	5.7 - 110 gpm	Flange 1 1/4"	EPDM	Cast iron	97686141	\$1,754
VFI 1.3 - 25	5.7 - 110 gpm	NPT 1 1/2"	EPDM	Stainless	98126404	\$1,397
VFI 1.3 - 25	5.7 - 110 gpm	Flange 1 1/4"	FKM	Cast iron	97686142	\$1,754
VFI 1.3 - 25	5.7 - 110 gpm	Flange 1 1/4"	EPDM	Stainless 316	97688297	\$2,109
VFI 1.3 - 25	5.7 - 110 gpm	NPT 1 1/2"	FKM	Stainless 316	98126456	\$1,397
VFI 2-40	8.8 - 176 gpm	Flange 2"	EPDM	Cast iron	97686143	\$2,019
VFI 2-40	8.8 - 176 gpm	Flange 2"	FKM	Cast iron	97686144	\$2,019
VFI 2-40	8.8 - 176 gpm	Flange 2"	EPDM	Stainless 316	97688299	\$2,366
VFI 2-40	8.8 - 176 gpm	Flange 2"	FKM	Stainless 316	97688300	\$2,366
VFI 3.2 - 64	14 - 282 gpm	Flange 2"	EPDM	Cast iron	97686145	\$2,265
VFI 3.2 - 64	14 - 282 gpm	Flange 2"	FKM	Cast iron	97686146	\$2,265
VFI 3.2 - 64	14 - 282 gpm	Flange 2"	EPDM	Stainless 316	97688301	\$2,474
VFI 3.2 - 64	14 - 282 gpm	Flange 2"	FKM	Stainless 316	97688302	\$2,474
VFI 5.2 - 104	23 - 458 gpm	Flange 2 1/2"	EPDM	Cast iron	99139867	\$2,419
VFI 5.2 - 104	23 - 458 gpm	Flange 2 1/2"	FKM	Cast iron	-	\$2,419
VFI 8 - 160	35 - 704 gpm	Flange 3"	EPDM	Cast iron	98854639	\$2,458
VFI 8-160	35 - 704 gpm	Flange 3"	FKM	Cast iron	-	\$2,458
VFI 12 - 240	53 - 1060 gpm	Flange 4"	EPDM	Cast iron	98854640	\$2,574
VFI 12- 240	53 - 1060 gpm	Flange 4"	FKM	Cast iron	98854641	\$2,574

The flow pipe is AISI 316L. Includes a 16.4 feet cable.

Maximum System Pressure	435 psi
Power Supply	12.5-30 Volts DC
Output Signal	4-20mA
Liquid Temperature	-22F to 230F
Ambient Temperature	-13F to 140F
Enclosure Class	IP67
Wetted Parts , Material	AISI 316L

Cable for VFI Sensors - M12 Connection

	MATERIAL NUMBER	LIST PRICE (\$)
Cable M12 4 Wire Cable with Free Cable End 6.5 ft	98374260	\$52
Cable M12 4 Wire Cable with Free Cable End 16.4 ft	98374271	\$74

Industrial Vortex Flow Transmitter Type (VFI + T) with Temperature Output

The VFI +T (Vortex Flow Industry) is an industrial vortex flow transmitter.

The VFI is available in 8 flow ranges with three types of pipe connections



Type	Flow range	Connection	Elastomer	Materials	Material Number	List Price
VFI 0.3-6 T	1.3 - 26 gpm	Flange 1 1/4"	EPDM	Cast iron	99513491	\$1,406
VFI 0.3-6 T	1.3 - 26 gpm	Flange 1 1/4"	FKM	Cast iron	99513519	\$1,406
VFI 0.3-6 T	1.3-26 gpm	NPT 1 1/4"	EPDM	Stainless	N/A	----
VFI 0.3-6 T	1.3 -26gpm	Flange 1 1/4"	EPDM	Stainless 316	Upon Request	----
VFI 0.3-6 T	1.3 -26 gpm	Flange 1 1/4"	FKM	Stainless 316	Upon Request	----
VFI 0.3-6 T	1.3 - 26 gpm	NPT 1 1/4"	FKM	Stainless	N/A	----
VFI 0.6 -12 T	2.6 - 53 gpm	Flange 1 1/4"	EPDM	Cast iron	99513496	\$1,604
VFI 0.6 -12 T	2.6 - 53 gpm	NPT 1 1/4"	EPDM	Stainless	N/A	----
VFI 0.6 -12 T	2.6 -53 gpm	Flange 1 1/4"	FKM	Cast iron	99513522	\$1,604
VFI 0.6 -12 T	2.6 -53 gpm	Flange 1 1/4"	EPDM	Stainless 316	Upon Request	----
VFI 0.6 -12 T	2.6 -53 gpm	Flange 1 1/4"	FKM	Stainless 316	Upon Request	----
VFI 0.6 -12 T	2.6 - 53 gpm	NPT 1 1/4"	FKM	Stainless	N/A	----
VFI 1.3 -25 T	5.7 -110 gpm	Flange 1 1/4"	EPDM	Cast iron	99513497	\$1,835
VFI 1.3 -25 T	5.7 - 110 gpm	NPT 1 1/2"	EPDM	Stainless	N/A	----
VFI 1.3 -25 T	5.7 - 110 gpm	Flange 1 1/4"	FKM	Cast iron	99513534	\$1,835
VFI 1.3 -25 T	5.7 -110 gpm	Flange 1 1/4"	EPDM	Stainless 316	Upon Request	----
VFI 1.3 -25 T	5.7 - 110 gpm	NPT 1 1/2"	FKM	Stainless 316	N/A	----
VFI 2-40 T	8.8 - 176 gpm	Flange 2"	EPDM	Cast iron	99513499	\$2,100
VFI 2-40 T	8.8 -176 gpm	Flange 2"	FKM	Cast iron	99513535	\$2,100
VFI 2-40 T	8.8 -176 gpm	Flange 2"	EPDM	Stainless 316	Upon Request	----
VFI 2-40 T	8.8 - 176 gpm	Flange 2"	FKM	Stainless 316	Upon Request	----
VFI 3.2 - 64 T	14 - 282 gpm	Flange 2"	EPDM	Cast iron	99513501	\$2,348
VFI 3.2 - 64 T	14 -282 gpm	Flange 2"	FKM	Cast iron	99513536	\$2,348
VFI 3.2 - 64 T	14 - 282 gpm	Flange 2 "	EPDM	Stainless 316	Upon Request	----
VFI 3.2 - 64 T	14- 282 gpm	Flange 2 "	FKM	Stainless 316	Upon Request	----
VFI 5.2 - 104 T	23 - 458 gpm	Flange 2 1/2"	EPDM	Cast iron	99513513	\$2,500
VFI 5.2 - 104 T	23 - 458 gpm	Flange 2 1/2"	FKM	Cast iron	99513537	\$2,500
VFI 8 - 160 T	35 - 704 gpm	Flange 3"	EPDM	Cast iron	99513515	\$2,538
VFI 8-160 T	35 -704 gpm	Flange 3"	FKM	Cast iron	99513539	\$2,538
VFI 12 - 240 T	53 - 1060 gpm	Flange 4"	EPDM	Cast iron	99513516	\$2,655
VFI 12- 240 T	53 -1060 gpm	Flange 4"	FKM	Cast iron	99513540	\$2,655

The flow pipe is AISI 316L. Includes a 16.4 feet cable.

Maximum System Pressure	435 psi
Power Supply	16.6-30 Volts DC
Output Signal	0 - 10 Volts DC
Liquid Temperature	-22F to 230F
Ambient Temperature	-13F to 140F
Enclosure Class	IP67
Wetted Parts , Material	AISI 316L

Grundfos Direct Sensor™
 Pressure - RPI + T (MAGNA 3)
 Differential Pressure - DPS (MAGNA 3)

GRUNDFOS PUMPS PRICE LIST
 EFFECTIVE DATE: May 15, 2021

Relative Pressure Transmitter Type (RPI +T) for MAGNA 3

Type	Range	SEAL TYPE	Cable Length	Fitting Size	MATERIAL NUMBER	LIST PRICE (\$)
RPI 16.0	232psi	EPDM	16.4 ft	1/4" NPT	98477668	\$331.00
RPI 16.0	232psi	EPDM	16.4 ft	1/2" NPT	98477669	\$331.00

MAGNA3 has only one analog input

Maximum System Pressure	435 psi
Power Supply	16.6 - 30 Volts DC
Output Signal	0 - 10 Volts DC
Liquid Temperature	-22F to 248F
Liquid Temperature Measuring Range	14F to 248F
Ambient Temperature	-13F to 140F
Enclosure Class	IP67
Wetted Parts , Material	AISI 316L



Differential Pressure Sensor (DPS) for MAGNA 3 Pump

Type	Range	SEAL TYPE	Cable Length	Fitting Size	MATERIAL NUMBER	LIST PRICE (\$)
DPS 2.0	29 psi	EPDM	3 ft	-	98471249	\$251.00

Includes cable, bracket, screw, cable gland and o-ring

Maximum System Pressure	348 psi
	232 psi at 158F
	145 psi at 212F
Power Supply	4.75 - 5.25 Volts DC
Output Signal	Digital
Liquid Temperature	14F to 248F
Liquid Temperature Measuring Range	14F to 248F
Ambient Temperature	-13F to 140F
Enclosure Class	IP44
Wetted Parts , Material	Composite - Polyphenylene sulfide (PPS)



Differential Pressure Sensor (DPS) for TPE3 Pump

Type	Range	SEAL TYPE	Cable Length	Fitting Size	MATERIAL NUMBER	LIST PRICE (\$)
DPS 4.0	58 psi	EPDM	-	-	98802463	\$251.00

Includes cable, bracket, screw, cable gland and o-ring

Maximum System Pressure	348 psi 232 psi at 158F 145 psi at 212F
Power Supply	4.75 - 5.25 Volts DC
Output Signal	Digital
Liquid Temperature	-13F to 248F
Liquid Temperature Measuring Range	-13F to 248F
Ambient Temperature	-13F to 140F
Enclosure Class	IP44
Wetted Parts , Material	Composite - Polyphenylene sulfide (PPS)



Differential Pressure Transmitter Type DPI v1

The DPI is available in 7 pressure ranges.



Type	Range	SEAL TYPE	Cable Length	Fittings Size	MATERIAL NUMBER	LIST PRICE (\$)
Differential Pressure Transmitter Kit type DPI v1 (TPE circulators)						
DPI 0.6	8.7 psi	FKM	2.9 ft	1/4 " NPT	96611522	\$585
DPI 1.0	14.5 psi	FKM	2.9 ft	1/4 " NPT	96611523	\$585
DPI 1.6	23.2 psi	FKM	2.9 ft	1/4 " NPT	96611524	\$585
DPI 2.5	36.25 psi	FKM	2.9 ft	1/4 " NPT	96611525	\$585
DPI 4.0	58 psi	FKM	2.9 ft	1/4 " NPT	96611526	\$585
DPI 6.0	87 psi	FKM	2.9 ft	1/4 " NPT	96611527	\$585
DPI 10.0	145 psi	FKM	2.9 ft	1/4 " NPT	96611550	\$585



Differential Pressure Transmitter type DPI v1 (TPE circulators)						
DPI 0.6	8.7 psi	FKM	2.9 ft	1/4" NPT	96561232	\$455
DPI 1.0	14.5 psi	FKM	2.9 ft	1/4" NPT	96573681	\$455
DPI 1.6	23.2 psi	FKM	2.9 ft	1/4" NPT	96573682	\$455
DPI 2.5	36.25 psi	FKM	2.9 ft	1/4" NPT	96573683	\$455
DPI 4.0	58 psi	FKM	2.9 ft	1/4" NPT	96573684	\$455
DPI 6.0	87 psi	FKM	2.9 ft	1/4" NPT	96573685	\$455
DPI 10	145 psi	FKM	2.9 ft	1/4" NPT	96573686	\$455

Maximum System Pressure	435 psi
Power Supply	12-30 Volts DC
Output Signal	4-20 mA
Liquid Temperature	14F to 158F
Ambient Temperature	-40F to 158F
Enclosure Class	IP55
Wetted Parts , Material	AISI 303

Differential Pressure Transmitter Type DPI v2

The DPI is available in 8 pressure ranges.



Type	Range	SEAL TYPE	Cable Length	Fitting Size	MATERIAL NUMBER	LIST PRICE (\$)
DPI 0.6	8.7 psi	EPDM	6.5 ft	1/2 " G	97747194	\$487
DPI 1.0	14.5 psi	EPDM	6.5 ft	1/2 " G	97747195	\$487
DPI 1.6	23.2 psi	EPDM	6.5 ft	1/2 " G	97747196	\$487
DPI 2.5	36.25 psi	EPDM	6.5 ft	1/2 " G	97747197	\$487
DPI 4.0	58 psi	EPDM	6.5 ft	1/2 " G	97747198	\$487
DPI 6.0	87 psi	EPDM	6.5 ft	1/2 " G	97747199	\$487
DPI 10.0	145 psi	EPDM	6.5 ft	1/2 " G	97747200	\$487
DPI 16.0	232psi	EPDM	6.5 ft	1/2 " G	97747201	\$487
DPI 0.6	8.7 psi	FKM	6.5 ft	1/2 " G	97747215	\$487
DPI 1.0	14.5 psi	FKM	6.5 ft	1/2 " G	97747216	\$487
DPI 1.6	23.2 psi	FKM	6.5 ft	1/2 " G	97747218	\$487
DPI 2.5	36.25 psi	FKM	6.5 ft	1/2 " G	97747219	\$487
DPI 4.0	58 psi	FKM	6.5 ft	1/2 " G	97747220	\$487
DPI 6.0	87 psi	FKM	6.5 ft	1/2 " G	97747241	\$487
DPI 10.0	145 psi	FKM	6.5 ft	1/2 " G	97747242	\$487
DPI 16.0	232psi	FKM	6.5 ft	1/2 " G	97747243	\$487

The DPI v2 sensor is gel filled to prevent condensation
1/4" NPT fitting for end of Capillary tube

The sensor includes an O-ring for sealing the 1/2" G thread.

Maximum System Pressure	435 psi
Power Supply	12.5-30 Volts DC
Output Signal	4-20mA
Liquid Temperature	-22F to 248F
Ambient Temperature	-13F to 140F
Enclosure Class	IP67
Wetted Parts , Material	AISI 316L

Differential Pressure Transmitter Type (DPI v2 +T) with Temperature Output

The DPI V2 +T is available in 8 pressure ranges.



Type	Range	SEAL TYPE	Cable Length	Fitting Size	MATERIAL NUMBER	LIST PRICE (\$)
DPI 0.6 T	8.7 psi	EPDM	6.5 ft	1/2 " G	97747202	\$531
DPI 1.0 T	14.5 psi	EPDM	6.5 ft	1/2 " G	97747203	\$531
DPI 1.6 T	23.2 psi	EPDM	6.5 ft	1/2 " G	97747204	\$531
DPI 2.5 T	36.25 psi	EPDM	6.5 ft	1/2 " G	97747205	\$531
DPI 4.0 T	58 psi	EPDM	6.5 ft	1/2 " G	97747206	\$531
DPI 6.0 T	87 psi	EPDM	6.5 ft	1/2 " G	97747207	\$531
DPI 10.0 T	145 psi	EPDM	6.5 ft	1/2 " G	97747208	\$531
DPI 16.0 T	232psi	EPDM	6.5 ft	1/2 " G	97747209	\$531
DPI 0.6 T	8.7 psi	FKM	6.5 ft	1/2 " G	97747244	\$531
DPI 1.0 T	14.5 psi	FKM	6.5 ft	1/2 " G	97747245	\$531
DPI 1.6 T	23.2 psi	FKM	6.5 ft	1/2 " G	97747246	\$531
DPI 2.5 T	36.25 psi	FKM	6.5 ft	1/2 " G	97747247	\$531
DPI 4.0 T	58 psi	FKM	6.5 ft	1/2 " G	97747249	\$531
DPI 6.0 T	87 psi	FKM	6.5 ft	1/2 " G	97747250	\$531
DPI 10.0 T	145 psi	FKM	6.5 ft	1/2 " G	97747251	\$531
DPI 16.0 T	232psi	FKM	6.5 ft	1/2 " G	97747252	\$531

The DPI v2 sensor is gel filled to prevent condensation

1/4" NPT fitting for end of Capillary tube

The sensor includes an O-ring for sealing the 1/2" G thread.

Maximum System Pressure	435 psi
Power Supply	16.6-30 Volts DC
Output Signal	0 - 10 Volts DC
Liquid Temperature	-22F to 248F
Ambient Temperature	-13F to 140F
Enclosure Class	IP67
Wetted Parts , Material	AISI 316L

Relative Pressure Transmitter Type (RPI)

The RPI is available in 8 pressure ranges.

Type	Range	SEAL TYPE	Cable Length	Fitting Size	MATERIAL NUMBER	LIST PRICE (\$)
RPI 1.0	14.5 psi	EPDM	6.5 ft	1/2 " G	97748908	\$371.00
RPI 1.6	23.2 psi	EPDM	6.5 ft	1/2 " G	97748909	\$371.00
RPI 2.5	36.25 psi	EPDM	6.5 ft	1/2 " G	97748910	\$371.00
RPI 4.0	58 psi	EPDM	6.5 ft	1/2 " G	97748921	\$371.00
RPI 6.0	87 psi	EPDM	6.5 ft	1/2 " G	97748922	\$371.00
RPI 10.0	145 psi	EPDM	6.5 ft	1/2 " G	97748923	\$371.00
RPI 16.0	232psi	EPDM	6.5 ft	1/2 " G	97748924	\$371.00
RPI 25.0	362psi	EPDM	6.5 ft	1/2 " G	97748925	\$371.00

RPI 1.0	14.5 psi	FKM	6.5 ft	1/2 " G	97748949	\$371.00
RPI 1.6	23.2 psi	FKM	6.5 ft	1/2 " G	97748950	\$371.00
RPI 2.5	36.25 psi	FKM	6.5 ft	1/2 " G	97748951	\$371.00
RPI 4.0	58 psi	FKM	6.5 ft	1/2 " G	97748952	\$371.00
RPI 6.0	87 psi	FKM	6.5 ft	1/2 " G	97748953	\$371.00
RPI 10.0	145 psi	FKM	6.5 ft	1/2 " G	97748954	\$371.00
RPI 16.0	232psi	FKM	6.5 ft	1/2 " G	97748955	\$371.00
RPI 25.0	362psi	FKM	6.5 ft	1/2 " G	97748956	\$371.00

The sensor includes an O-ring for sealing the 1/2" G thread.

Maximum System Pressure	435 psi
Power Supply	12.5 - 30 Volts DC
Output Signal	Pressure 4-20 mA
Liquid Temperature	-22F to 248F
Ambient Temperature	-13F to 140F
Enclosure Class	IP67
Wetted Parts , Material	AISI 316L



Relative Pressure Transmitter Type (RPI + T) with Temperature Output

The RPI is available in 8 pressure ranges.

RPI 1.0 T	14.5 psi	EPDM	6.5 ft	1/2 " G	97748928	415.00
RPI 1.6 T	23.2 psi	EPDM	6.5 ft	1/2 " G	97748929	415.00
RPI 2.5 T	36.25 psi	EPDM	6.5 ft	1/2 " G	97748930	415.00
RPI 4.0 T	58 psi	EPDM	6.5 ft	1/2 " G	97748941	415.00
RPI 6.0 T	87 psi	EPDM	6.5 ft	1/2 " G	97748942	415.00
RPI 10.0 T	145 psi	EPDM	6.5 ft	1/2 " G	97748944	415.00
RPI 16.0 T	232psi	EPDM	6.5 ft	1/2 " G	97748945	415.00
RPI 25.0 T	362psi	EPDM	6.5 ft	1/2 " G	97748946	415.00

RPI 1.0 T	14.5 psi	FKM	6.5 ft	1/2 " G	97748958	415.00
RPI 1.6 T	23.2 psi	FKM	6.5 ft	1/2 " G	97748959	415.00
RPI 2.5 T	36.25 psi	FKM	6.5 ft	1/2 " G	97748960	415.00
RPI 4.0 T	58 psi	FKM	6.5 ft	1/2 " G	97748961	415.00
RPI 6.0 T	87 psi	FKM	6.5 ft	1/2 " G	97748962	415.00
RPI 10.0 T	145 psi	FKM	6.5 ft	1/2 " G	97748963	415.00
RPI 16.0 T	232psi	FKM	6.5 ft	1/2 " G	97748964	415.00
RPI 25.0 T	362psi	FKM	6.5 ft	1/2 " G	97748965	415.00

The sensor includes an O-ring for sealing the 1/2" G thread.

Maximum System Pressure	435 psi
Power Supply	16.6 - 30 Volts DC
Output Signal	0 - 10 Volts DC
Liquid Temperature	-22F to 248F
Liquid Temperature Measuring Range	32F to 212F
Ambient Temperature	-13F to 140F
Enclosure Class	IP67
Wetted Parts , Material	AISI 316L



Grundfos Direct Sensor TM
Pressure - RPS + T
Differential Pressure - DPS + T

GRUNDFOS PUMPS PRICE LIST
EFFECTIVE DATE: May 15, 2021

Relative Pressure Sensor (RPS) with Temperature Output

The RPS is available in 5 pressure ranges.

Type	Range	SEAL TYPE	Cable Length	Fitting Size	MATERIAL NUMBER	LIST PRICE (\$)
RPS 2.5	36.25 psi	EPDM	-	1/2 " NPT	99546580	\$96.00
RPS 4.0	58 psi	EPDM	-	1/2 " NPT	99546581	\$96.00
RPS 6.0	87 psi	EPDM	-	1/2 " NPT	99546582	\$96.00
RPS 10.0	145 psi	EPDM	-	1/2 " NPT	99546583	\$98.00
RPS 16.0	232psi	EPDM	-	1/2 " NPT	99546584	\$98.00
RPS 2.5	36.25 psi	FKM	-	1/2 " NPT	99546588	\$101.00
RPS 4.0	58 psi	FKM	-	1/2 " NPT	99546589	\$101.00
RPS 6.0	87 psi	FKM	-	1/2 " NPT	99546590	\$101.00
RPS 10.0	145 psi	FKM	-	1/2 " NPT	99546591	\$101.00
RPS 16.0	232psi	FKM	-	1/2 " NPT	99546592	\$104.00

Cables ordered separately

Maximum System Pressure	348 psi
Power Supply	4.75 - 5.25 Volts DC
Output Signal	Pressure 0.5 - 3.5V Temperature 0.5 - 4.1V
Liquid Temperature	32F to 248F
Ambient Temperature	-13F to 140F
Enclosure Class	IP44
Wetted Parts , Material	AISI 316 - Composite Polyphenylene sulfide (PPS)



Differential Pressure Sensor (DPS) with Temperature Output

The DPS is available in 6 pressure ranges.

Type	Range	SEAL TYPE	Cable Length	Fitting Size	MATERIAL NUMBER	LIST PRICE (\$)
DPS 0.6	8.7 psi	EPDM	-	-	99472312	\$253.00
DPS 1.0	14.5 psi	EPDM	-	-	99472337	\$253.00
DPS 1.6	23.2 psi	EPDM	-	-	99472338	\$253.00
DPS 2.5	36.25 psi	EPDM	-	-	99472339	\$253.00
DPS 4.0	58 psi	EPDM	-	-	99472340	\$253.00
DPS 6.0	87 psi	EPDM	-	-	99472341	\$253.00

Cables ordered separately. 1/4" tubing required

Maximum System Pressure	348 psi 232 psi at 158F 145 psi at 212F
Power Supply	4.75 - 5.25 Volts DC
Output Signal	Pressure 0.5 - 3.5V Temperature 0.5 - 4.1V
Liquid Temperature	32F to 248F
Ambient Temperature	-13F to 140F
Enclosure Class	IP44
Wetted Parts , Material	Composite - Polyphenylene sulfide (PPS)



Vortex Flow Sensor Type VFS (Composite)

The VFS (Vortex Flow Sensor) is a vortex flow transmitter with temperature sensor

The VFS is available in 5 flow ranges

VFS Type	Flow range	Connection	Elastomer	Materials	Material Number	List Price
VFS 1-20	0.31 - 5.28 gpm	1/2" NPT Brass	EPDM	Composite Pipe	99546549	\$173.00
VFS 2-40	0.53 - 10.5gpm	3/4" NPT Brass	EPDM	Composite Pipe	99546563	\$181.00
VFS 5-100	1.32 - 26.4 gpm	3/4" NPT Brass	EPDM	Composite Pipe	99546564	\$200.00
VFS 10-200	2.64 - -52.8 gpm	1" NPT Brass	EPDM	Composite Pipe	99546567	\$285.00
VFS 20-400	5.28 - 105 gpm	1 1/4" NPT Brass	EPDM	Composite Pipe	99546568	\$404.00

VFS 1-20	0.31 - 5.28 gpm	1/2" NPT Brass	FKM	Composite Pipe	99546569	\$177.00
VFS 2-40	0.53 - 10.5gpm	3/4" NPT Brass	FKM	Composite Pipe	99546570	\$185.00
VFS 5-100	1.32 - 26.4 gpm	3/4" NPT Brass	FKM	Composite Pipe	99546571	\$204.00
VFS 10-200	2.64 - -52.8 gpm	1" NPT Brass	FKM	Composite Pipe	99546572	\$289.00
VFS 20-400	5.28 - 105 gpm	1 1/4" NPT Brass	FKM	Composite Pipe	99546574	\$408.00

Cables ordered separately

Maximum System Pressure 348 psi
Power Supply 4.75 - 5.25 Volts DC
Output Signal Pressure 0.5 - 3.5V
Temperature 0.5 - 4.1V
Liquid Temperature 32F to 248F
Ambient Temperature -13F to 140F
Enclosure Class IP44
Wetted Parts , Material PPS, PPA 40-GF, Brass



Vortex Flow Sensor Type VFS QT (Stainless)

The VFS QT (Vortex Flow Sensor) is a vortex flow transmitter with temperature sensor

The VFS QT is available in 4 flow ranges

VFS QT Type	Flow range	Connection	Elastomer	Materials	Material Number	List Price
VFS 1-18 QT	0.26 - 4.76 gpm	3/4" G	EPDM	AISI 316	99472370	\$193.00
VFS 2-40 QT	0.53 - 10.5gpm	3/4" G	EPDM	AISI 316	99508188	\$188.00
VFS 5-100 QT	1.32 - 26.4 gpm	1" G	EPDM	AISI 316	99472383	\$231.00
VFS 10-200 QT	2.64 - -52.8 gpm	1 1/4" G	EPDM	AISI 316	99472361	\$299.00

VFS 1-18 QT	0.26 - 4.76 gpm	3/4" G	FKM	AISI 316	99508190	\$198.00
VFS 2-40 QT	0.53 - 10.5gpm	3/4" G	FKM	AISI 316	99508191	\$193.00
VFS 5-100 QT	1.32 - 26.4 gpm	1" G	FKM	AISI 316	99508192	\$236.00
VFS 10-200 QT	2.64 - -52.8 gpm	1 1/4" G	FKM	AISI 316	99508193	\$304.00

Cables and fittings ordered separately

Maximum System Pressure 348 psi
Power Supply 4.75 - 5.25 Volts DC
Output Signal Pressure 0.5 - 3.5V
Temperature 0.5 - 4.1V
Liquid Temperature 32F to 248F
Ambient Temperature -13F to 140F
Enclosure Class IP44
Wetted Parts , Material PPS, PPA 40-GF, AISI 316



Cable for RPI, DPI v2 and VFI Sensors - M12 Connection

	MATERIAL NUMBER	LIST PRICE (\$)
Cable M12 4 Wire Cable with Free Cable Ends 6.5 ft	98374260	\$52
Cable M12 4 Wire Cable with Free Cable Ends 16.4 ft	98374271	\$74



Cable for DPS, RPS, VFS and VFS QT Sensors Snap-on Standard

Molex Connector

Cable I1.20AG/B-1 with NEW MOLEX 51065-0400 Connector 3.9ft	99469217	\$18
Cable I1.20AG/C1H with NEW MOLEX 51065-0400 Connector 3.9ft A minimum order quantity of 100. The price is each.	99469214	\$12
Cable I2.90AG/B-1 with NEW MOLEX 51065-0400 Connector 9.5ft	99469221	\$21
Cable I2.90AG/C50 with NEW MOLEX 51065-0400 Connector 9.5ft A minimum order quantity of 50. The price is each.	99469219	\$16



Pinned wires

Cable I1.20-Y/B-1 with 4X TE Wire Pin Connector 3.9ft	98515668	\$19
Cable I2.90-Y/B-1 with 4X TE Wire Pin Connector 9.5ft	98444532	\$22
Cable I2.90-Y/C50 with 4X TE Wire Pin Connector 9.5ft A minimum order quantity of 50. The price is each.	98168063	\$17



Free Cable Ends

Cable I2.90-X/C50 with Free Cable Ends 9.5ft A minimum order quantity of 50. The price is each.	98846717	\$19
--	----------	------

Adaptors for DPI v2 and RPI Sensors

	NUMBER MATERIAL	PRICE (\$) LIST
Adaptor for 1/2" BSPP to 1/4" NPTM	98344015	\$31
Adaptor for 1/2" BSPP to 1/2" NPTM	98428147	\$31
Extension adaptor - 1/2" BSPP to 1/2" BSPP Required on CR(I)(N)E 10 thru 64 to ensure transmitter flange does not interfere with motor stool or coupling guard.	98255224	\$36



Capillary Tube for DPI v2 Sensor

	MATERIAL NUMBER	LIST PRICE (\$)
Capillary tube for low pressure side Brass	98469210	\$31
Capillary tube for low pressure side Stainless	99013495	\$42



Clip for DPS and VFS QT Sensors

Clip	96965951	\$1.10
------	----------	--------



Clip for RPS and VFS Sensors

Clip	96654843	\$0.60
------	----------	--------



SI Converter - Delivers a 4-20 mA signal (RPS, VFS, VFS QT and DPS Sensors)

SI 010 CNV Signal Converter	96983684	\$244
-----------------------------	----------	-------

Power Supply	115-230 VAC or 24 VDC
Output Signal	4-20 mA
Ambient Temperature	-4F to 122F
Enclosure Class	IP20
Power Consumption	2.5 W Maximum



SI Power Supply - Use with DPI 1 Sensor when Sensor is more than 98 ft from MLE

SI 001 PSU Power Supply	96915820	\$387
-------------------------	----------	-------

Power Supply	110 - 400 VAC
Ambient Temperature	-4F to 122F
Enclosure Class	IP54



